
8 COLOURS | 1 FINISH | 10 SIZES




Offering almost limitless design possibilities, Australasia expertly treads the fine line between contemporary and classic. This versatile range is available in 10 sizes and eight colours.



ABOVE Floor: 2KST103

RIGHT Floor: 2KST104



ABOVE Wall: 2KST101 2KST102 2KST103










Hincks 2KST102 Marla 2KST106




Ninnes 2KST103 Gawler 2KST107


NON-STANDARD SHAPES



MOSAICS AND DECORS (300X300X6MM MESH SHEETS)



Mosaic A*						
2KST103M203						
31x31x6mm Chip	(300x300	Sheet)				
Natural R9						



Mosaic B*						
2KST103M103						
47x47x6mm Chip	(300x300	Sheet)				
Natural R9						



Mosaic C*
2KST108M308
300x300x6mm
Natural R9

SUGGESTED LAYING PATTERNS



NOTES



Parallelogram can be ordered as either left or right modules.

Rectified sizes in mm. For more information please contact our sales team.

* Produced upon request

	200×200 6mm*	200x200 6mm*	200×280 6mm*	230×230 6mm*	300×600 6mm	300×1200 6mm	460x230 6mm*	600×600 6mm	600×1200 6mm	1000×1000 6mm
Appila	Square	Triangle	Parallelogram	Rhombus	•	•	Trapezoid	•	•	
Sedan	9	•	9	9	•		•	•	• •	<i>V</i>
Hincks	9	۶	Ŷ	9	۷		۶	۶	•	
Ninnes	9	۷	9	9	9		9	۶	9	
Ceduna	9	۷	9	9	9		Ψ	۶	9	9
Yalata	9	٣	9	9	9		Ψ	٣	9	9
Marla	•	9	9	9	9		9	Ψ	٣	
Gawler	۶	9	9	9	۶		9	۶	9	

🎔 Natural R9

APPEARANCE Concrete

MATERIAL Porcelain

USAGE Floors and Walls

SHADE VARIATION V1 - Uniform

SPECIAL PIECES Produced on request. For more information contact our sales team.

BULL NOSE 70x600x6mm 65x1000x6mm



STEPS WITH GROOVES 300x600x6mm 300x1000x6mm 300x1200x6mm

ISO 10545 RESULTS

2. DIMENSIONS AND SURFACE QUALITY Conforms

3. WATER ABSORPTION ≤ 0.5%

10. MOISTURE EXPANSION No rating

12. FROST RESISTANCE Conforms

4. FLEXURAL STRENGTH 42 N/mm²

Conforms

13. CHEMICAL RESISTANCE

6. DEEP ABRASION RESISTANCE 140 mm³

14. STAIN RESISTANCE Class 5

8. LINEAR THERMAL EXPANSION 7 MK⁻¹

SLIP RESISTANCE (DIN 51130) Natural R9

9. THERMAL SHOCK RESISTANCE Conforms

MANUFACTURER CERTIFICATIONS:



EPD: Available 4 ISO 14001

For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to BS EN 16165:2021. HSE surface roughness and NCS Colour values are also available upon request. All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2023. 006.



BIRMINGHAM Unit 1 Cole River Park Warwick Road B11 2QX

LONDON 80 Clerkenwell Road EC1M 5RJ

MANCHESTER 14 Kennedy Street M2 4BY

solusceramics.com +44 (0)121 753 0777 sales@solusceramics.com