

Brickwork

9 COLOURS | 1 FINISH | 1 SIZE



S
O
L
U
S


Wall:
2BRK004

Brickwork

Inspired by brick walls, the tiles in the Brickwork range feature authentically sized and textured brick shapes. The range includes a selection of traditional brick colours and a host of painted options.



Wall:
2BRK003



Floor:
2BRK005



Ormonde
2BRK006



Coleford
2BRK007



Wienerberg
2BRK008



Blenda *
2BRK002



Ruggina *
2BRK001



Argilla *
2BRK003



Ombra *
2BRK004



Notta *
2BRK005



Charnwood
2BRK009



Wall:
2BRK006

SIZES AND FINISHES

60x250
9.5mm

All colours



△ Textured R11

NOTES

* Subject to a high variation in colour and markings.

We recommend a 1cm joint.

For matching floor tiles see our Groundwork range.

Brickwork

APPEARANCE

Mono Colour

MATERIAL

Porcelain

USAGE

Floors and Walls

SHADE VARIATION

V4 - Heavy


SPECIAL PIECES

Available in all colours.

For more information contact our sales team.


BATTISCOPIA

80x333mm




ELEMENTO A L INCOLLATO

170x340x50mm




ELEMENTO A L MONOLITICO

155x300x40m




GRADINO+TORO

340x340mm



ANGOLO+TORO

340x340mm



ISO 10545 RESULTS

2. DIMENSIONS AND SURFACE QUALITY

No rating

3. WATER ABSORPTION

≤ 0.5%

4. FLEXURAL STRENGTH

≥ 27 N/mm²

6. DEEP ABRASION RESISTANCE

No rating

8. LINEAR THERMAL EXPANSION

No rating

9. THERMAL SHOCK RESISTANCE

No rating

10. MOISTURE EXPANSION

No rating

12. FROST RESISTANCE

Conforms

13. CHEMICAL RESISTANCE

Conforms

14. STAIN RESISTANCE

Class 3

SLIP RESISTANCE (DIN 51130-51097)

Textured R11

MANUFACTURER CERTIFICATIONS:



EPD: Available



For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to BS EN 16165:2021. HSE surface roughness and NCS Colour values are also available upon request. All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2024. 007.



40%
Pre-consumer