

Bubble

6 COLOURS | 1 FINISH | 1 SIZE | 1 DECOR



S
O
L
U
S

Wall:
5BUB106

Bubble

This quirky and colourful wall ceramic playfully recreates the appearance of bubble wrap.



Wall:
5BUB103D103

Bubble



ABOVE
Wall:
5BUB105


RIGHT
Wall:
5BUB101




ABOVE
Wall:
5BUB104




BUB-Ice
5BUB101



BUB-Blush
5BUB105




BUB-Rose
5BUB106



BUB-Ocean
5BUB102



BUB-Denim
5BUB103




BUB-Ash
5BUB104


DECORS




BUB-Ice Decor
5BUB101D101
200x200x8.5mm
Gloss




BUB-Blush Decor
5BUB105D105
200x200x8.5mm
Gloss




BUB-Rose Decor
5BUB106D106
200x200x8.5mm
Gloss



BUB-Ocean Decor
5BUB102D102
200x200x8.5mm
Gloss



BUB-Denim Decor
5BUB103D103
200x200x8.5mm
Gloss



BUB-Ash Decor
5BUB104D104
200x200x8.5mm
Gloss



Wall:
5BUB102

SIZES AND FINISHES

	
	200x200
	8.5mm
All colours	

 Gloss

APPEARANCE
Mono Colour

MATERIAL
Ceramic

USAGE
Walls only

SHADE VARIATION
V2 - Light

ISO 10545 RESULTS

2. DIMENSIONS AND SURFACE QUALITY
Conforms

3. WATER ABSORPTION
~ 16%

4. FLEXURAL STRENGTH
22 N/mm²

6. DEEP ABRASION RESISTANCE
No rating

8. LINEAR THERMAL EXPANSION
8.0 x 10⁻⁶ °C

9. THERMAL SHOCK RESISTANCE
Conforms

10. MOISTURE EXPANSION
No rating

12. FROST RESISTANCE
No rating

13. CHEMICAL RESISTANCE
Conforms

14. STAIN RESISTANCE
Conforms

MANUFACTURER CERTIFICATIONS:



EPD: Available
ISO 14001

For LEED, BREEAM and WELL information, please ask for details. NCS Colour values are available upon request. All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2024. 001.