

Caenstone

6 COLOURS | 7 FINISHES | 8 SIZES | 3 MOSAICS



S
O
LUS

Floor:
2CAE104
Wall:
2CAE104M012

Caenstone

Available in seven finishes and six natural colours this porcelain limestone-effect collection is minimalist only in aesthetic. Potential applications are extended further by the range of sizes, thicknesses, and special pieces.



Floor:
2CAE102
Wall:
2CAE101

Caenstone




ABOVE
Floor:
2CAE102
Wall:
2CAE102


RIGHT
Wall:
2CAE103
2CAE103M008



ABOVE
Floor:
2CAE103
Wall:
2CAE103



CAE-Cream
2CAE104



CAE-Light
2CAE101



CAE-Grey
2CAE105




CAE-Beige
2CAE102



CAE-Greige
2CAE103




CAE-Dark
2CAE106




All colours




● Natural R10 ◆ Natural Silk ■ Textured Ridge R10 (A+B) □ Textured Groove R10 (A+B) ▲ Textured Aged R10 (A+B) ⊙ Textured Aged Silk \ Anti Slip R11




Natural R10




Natural Silk




Textured Ridge
R10 (A+B)




Textured Groove
R10 (A+B)



Textured Aged
R10 (A+B)



Textured Aged Silk




Anti Slip R11




Floor:
2CAE102
Wall:
2CAE102




Wall:
2CAE104M012



Mosaic A
300x300x9mm (50x50 Chip)
Natural R10 & Anti Slip R11
Available in all colours



Mosaic B
300x300x9mm (50x150 Chip)
Natural R10 & Anti Slip R11
Available in all colours



Mosaic C
300x600x9mm
Textured
Available in all colours

APPEARANCE
Limestone


MATERIAL
Porcelain

USAGE
Floors and Walls


SHADE VARIATION
V3 - Moderate

SPECIAL PIECES
More special pieces available.
For more information contact our sales team.


BATTISCOPIA
70x600mm
70x900mm




GRADONE (ASSEMBLATO)
1200x330mm



GRADINO
300x600mm
300x900mm



ANGOLARE (ASSEMBLATO)
1200x330mm



ISO 10545 RESULTS

2. DIMENSIONS AND SURFACE QUALITY
Conforms

3. WATER ABSORPTION
 $\leq 0.1\%$

4. FLEXURAL STRENGTH
 $> 45 \text{ N/mm}^2$

6. DEEP ABRASION RESISTANCE
 $< 150 \text{ mm}^3$

8. LINEAR THERMAL EXPANSION
 $6 \times 10^{-6} \text{ }^\circ\text{C}$

9. THERMAL SHOCK RESISTANCE
No rating

10. MOISTURE EXPANSION
No rating

12. FROST RESISTANCE
Conforms

13. CHEMICAL RESISTANCE
Conforms

14. STAIN RESISTANCE
Conforms

**SLIP RESISTANCE
(DIN 51130-51097)**
Natural R10
Textured Ridge R10 (A+B)
Textured Groove R10 (A+B)
Textured Aged R10 (A+B)
Anti Slip R11

MANUFACTURER CERTIFICATIONS:



EPD: Available
ISO 14001

For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to BS EN 16165:2021. HSE surface roughness and NCS Colour values are also available upon request. All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2024. 002.