

Ceramic Indenti 1

30 COLOURS | 5 FINISHES | 4 SIZES



**S
O
LUS**

Wall:
6AAM602

Bench:
6AAM602

Ceramic Indenti 1

A highly practical mosaic range, Ceramic Indenti 1 offers a huge selection of glorious colours as well as numerous anti slip finishes. The individual mosaic pieces are slightly rounded, providing a unique appearance and tonal difference can be seen from tile to tile.




Counter:
6AAM632
Wall:
6AAM632

Ceramic Indenti 1




Wall:
Bespoke mix


Ceramic Indenti 1




Zeus
6AAM608



Haren
6AAM614




Hali
6AAM611




Stormus
6AAM632




Platinum
6AAM639




Grida
6AAM637




Gold
6AAM638




Gadus
6AAM635




Shanny
6AAM616




Laice
6AAM612




Belone
6AAM609




Limanda
6AAM603




Nectes
6AAM627




Solea
6AAM617




Lepado
6AAM615




Culpe
6AAM618




Faber
6AAM621




Platesca
6AAM623




Lycaen
6AAM606




Megrin
6AAM601




Lipares
6AAM628




Lauance
6AAM619




Trisop
6AAM625




Ballan
6AAM613




Sark
6AAM602




Mullus
6AAM629



Serran
6AAM626



Trigla
6AAM610



Lophius
6AAM605



Othidae
6AAM636

SINGLE PRESS - FIRING JOLLY



12x12mm



25x25mm



50x100mm

SPECIAL PIECES



1. CO MOS
25x100mm



2. COS MO
25x120mm



3. CA MOS
25x100mm



4. CAS MO
25x120mm






5. TR MOS
25x100mm



6. POM CA (convesso)
25x25mm



7. POM CO (concavo)
25x25mm



SIZES AND FINISHES

	12x12 7.2mm chips (300x300x7.2 sheet)	12.5x37.5 7.2mm chips (300x300x7.2 sheet)	25x25 7.2mm chips (300x300x7.2 sheet)	50x100 7.2mm chips (300x300x7.2 sheet)		12x12 7.2mm chips (300x300x7.2 sheet)	12.5x37.5 7.2mm chips (300x300x7.2 sheet)	25x25 7.2mm chips (300x300x7.2 sheet)	50x100 7.2mm chips (300x300x7.2 sheet)
Zeus	◆ \		◆ △ ▲	◆	Culpe	◆		◆	◆
Haren	◆ \		◆ △ ▲	◆	Ballan	◆ \		◆ △ ▲	◆
Hali	◆ \		◆ △ ▲	◆	Faber	◆ \		◆ △ ▲	◆
Stormus	◆ \		◆ △ ▲	◆	Platesca	◆		◆	◆
Platinum	■	■	■		Lycaen	◆ \		◆ △ ▲	◆
Grida	◆ \		◆ △ ▲	◆	Megrin	◆ \		◆ △ ▲	◆
Gold	■	■	■		Lipares	◆		◆	◆
Gadus	◆		◆	◆	Launce	◆		◆	◆
Shanny	◆ \		◆ △ ▲	◆	Trisop	◆ \		◆ △ ▲	◆
Laice	◆		◆	◆	Sark	◆ \		◆ △ ▲	◆
Belone	◆		◆	◆	Mullus	◆		◆	◆
Limanda	◆		◆	◆	Serran	◆		◆	◆
Nectes	◆		◆	◆	Trigla	◆		◆	◆
Solea	◆		◆	◆	Lophius	◆		◆	◆
Lepado	◆		◆	◆	Othidae	◆		◆	◆

◆ Gloss Glazed

■ Satin Metallic

△ Anti Slip R10 (A+B)

▲ Anti Slip R11 (A+B+C)

\ Anti Slip R12 (A+B+C)



Gloss Glazed



Anti Slip R10 (A+B)



Anti Slip R11 (A+B+C)



Anti Slip R12 (A+B+C)

NOTES

Standard and Bespoke Mixes are available. Please ask for details.

Ceramic Indenti 1

APPEARANCE
Mosaic

MATERIAL
Ceramic

USAGE
Floors and Walls

ISO 10545 RESULTS

2. DIMENSIONS AND SURFACE QUALITY
Conforms

3. WATER ABSORPTION
≤ 1%

4. FLEXURAL STRENGTH
50 N/mm²

6. DEEP ABRASION RESISTANCE
No rating

8. LINEAR THERMAL EXPANSION
5x10⁻⁶ °C

9. THERMAL SHOCK RESISTANCE
Conforms

10. MOISTURE EXPANSION
No rating

12. FROST RESISTANCE
Conforms

13. CHEMICAL RESISTANCE
No rating


14. STAIN RESISTANCE
Class 3

**SLIP RESISTANCE
(DIN 51130-51097)**
Anti Slip R10 (A+B)
Anti Slip R11 (A+B+C)
Anti Slip R12 (A+B+C)

MANUFACTURER CERTIFICATIONS:

EPD: Available

For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to BS EN 16165:2021. HSE surface roughness and NCS Colour values are also available upon request. All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2026. 008.

 15%
Pre-consumer

**S
O
L
U
S**

BIRMINGHAM
Unit 1 Cole River Park
Warwick Road B11 2QX

LONDON
14 Clerkenwell Road
EC1M 5RJ

MANCHESTER
14 Kennedy Street
M2 4BY

solusceramics.com
+44 (0)121 753 0777
sales@solusceramics.com