

Character in both name and nature, this highly unique range of floor and wall tiles is brimming with personality. Offered in seven core shades and a selection of décor options, its artisanal appearance is certain to impress.





ABOVE

Wall: 2AJC104

2AJC102

Floor: 2AJC104 2AJC102

RIGHT

Wall: 2AJC104





ABOVE Floor: 2AJC103D101 2AJC101











Humor 2AJC101

Trait 2AJC105

Kind 2AJC102

Mood 2AJC103

Reputation 2AJC104












Caliber 2AJC107









Reputation Decor


2AJC104D102

200x200x8.5mm

Natural R10 (A+B)



Caliber Decor 2AJC107D103 200x200x8.5mm Natural R10 (A+B)



Disposition Decor 2AJC108D201 200x200x8.5mm Natural R10 (A+B)



SIZES AND FINISHES

	1		
	50×200* 8.5mm	200x200 8.5mm	
All colours	*	•	

NOTES

To avoid lippage we recommend the use of self-levelling spacers.

*Size 50x200x8.5 is only available for walls.

APPEARANCE

Mono Colour

MATERIAL

Porcelain

USAGE

Floors and Walls*

ISO 10545 RESULTS

2. DIMENSIONS AND SURFACE QUALITY

Conforms

10. MOISTURE EXPANSION

 ~ 0.04 mm/m

3. WATER ABSORPTION

≤ 0.1%

12. FROST RESISTANCE

Conforms

4. FLEXURAL STRENGTH

Conforms

13. CHEMICAL RESISTANCE

Conforms

6. DEEP ABRASION RESISTANCE

No rating

14. STAIN RESISTANCE

Conforms

8. LINEAR THERMAL EXPANSION

6.4x10⁻⁶ °C

SLIP RESISTANCE (DIN 51130-51097)

Natural R10 (A+B)

9. THERMAL SHOCK RESISTANCE

Conforms

MANUFACTURER CERTIFICATIONS:

EPD: Available

For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to BS EN 16165:2021. HSE surface roughness and NCS Colour values are also available upon request.

All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2024. 002b.

