

Chiltern Stone

7 COLOURS | 3 FINISHES | 15 SIZES | 3 MOSAICS



S
LUS



Floor:
3PSP361
Wall:
3PSP361

Chiltern Stone

Chiltern Stone is a beautiful range of natural looking porcelain which comes in a number of earthy tones in many diverse sizes.




Solus Plus ranges are responsibly sourced in line with the BES 6001 standard.

For more information, [click here](#)



Floor:
3PSP361



Lacey
3PSP361



Wyfold
3PSP363



Chinnor
3PSP364




Wendover
3PSP362



Admail
3PSP367



Chalfont
3PSP365



Potten
3PSP366

SIZES AND FINISHES

															
	300x300 9mm	300x600 9mm	450x900 9mm	600x600 9mm	600x600 20mm	600x1200 6mm	600x1200 9mm	600x1200 20mm	900x900 9mm	900x900 20mm	1200x1200 6mm	1200x1200 9mm	1200x1200 20mm	1200x2780 6mm	1600x3200 12mm
 Lacey	♥	♥ 	♥	♥  		♥	♥ 		♥ 		♥	♥		♥	♥
 Wyfold	♥	♥ 	♥	♥  		♥	♥ 		♥ 		♥	♥		♥	
 Chinnor	♥	♥ 		♥  			♥ 								
 Wendover	♥	♥ 	♥	♥  		♥	♥ 		♥ 		♥	♥		♥	
 Admail	♥	♥ 	♥	♥  		♥	♥ 		♥ 		♥	♥		♥	♥
 Chalfont	♥	♥ 	♥	♥  		♥	♥ 		♥ 		♥	♥		♥	
 Potten	♥	♥ 	♥	♥  		♥	♥ 		♥ 		♥	♥		♥	

 Natural R10 (A+B)* Honed Polished Anti Slip R11 (A+B)

NOTES

* Natural R10 (A+B) finish is not suitable for use on swimming pools and/or changing rooms.

MOSAICS



Lacey Mosaic A
3PSP361M102
300x600x9mm
Natural R10 (A+B), Honed Polished



Wyfold Mosaic A
3PSP363M103
300x600x9mm
Natural R10 (A+B), Honed Polished



Chinnor Mosaic A
3PSP364M104
300x600x9mm
Natural R10 (A+B), Honed Polished



Wendover Mosaic A
3PSP362M001
300x600x9mm
Natural R10 (A+B), Honed Polished



Admail Mosaic A
3PSP367M107
300x600x9mm
Natural R10 (A+B), Honed Polished



Chalfont Mosaic A
3PSP365M105
300x600x9mm
Natural R10 (A+B), Honed Polished




Potten Mosaic A
3PSP366M106
300x600x9mm
Natural R10 (A+B), Honed Polished


MOSAICS



Lacey Mosaic B
3PSP361M202
300x300x9mm (30x30 chips)
Natural R10 (A+B)
Honed Polished



Wyfold Mosaic B
3PSP363M203
300x300x9mm (30x30 chips)
Natural R10 (A+B)
Honed Polished



Chinnor Mosaic B
3PSP364M204
300x300x9mm (30x30 chips)
Natural R10 (A+B)
Honed Polished




Wendover Mosaic B
3PSP362M201
300x300x9mm (30x30 chips)
Natural R10 (A+B)
Honed Polished



Admail Mosaic B
3PSP367M207
300x300x9mm (30x30 chips)
Natural R10 (A+B)
Honed Polished



Chalfont Mosaic B
3PSP365M205
300x300x9mm (30x30 chips)
Natural R10 (A+B)
Honed Polished



Potten Mosaic B
3PSP366M206
300x300x9mm (30x30 chips)
Natural R10 (A+B)
Honed Polished

MOSAICS



Lacey Mosaic C
3PSP361M302
300x300x9mm (60x60 chips)
Natural R10 (A+B)
Honed Polished



Wyfold Mosaic C
3PSP363M303
300x300x9mm (60x60 chips)
Natural R10 (A+B)
Honed Polished



Chinnor Mosaic C
3PSP364M304
300x300x9mm (60x60 chips)
Natural R10 (A+B)
Honed Polished




Wendover Mosaic C
3PSP362M301
300x300x9mm (60x60 chips)
Natural R10 (A+B)
Honed Polished



Admail Mosaic C
3PSP367M307
300x300x9mm (60x60 chips)
Natural R10 (A+B)
Honed Polished



Chalfont Mosaic C
3PSP365M305
300x300x9mm (60x60 chips)
Natural R10 (A+B)
Honed Polished



Potten Mosaic C
3PSP366M306
300x300x9mm (60x60 chips)
Natural R10 (A+B)
Honed Polished

Chiltern Stone

APPEARANCE
Limestone


MATERIAL
Porcelain

USAGE
Floors and Walls


SHADE VARIATION
V4 - Heavy

SPECIAL PIECES
Available in all colours.
For more information contact our sales team.


BULLNOSE
90x300, 90x600, 90x900mm




STEP TREAD
300x300, 450x450,
300x600, 300x1200mm



GRADONE
330x1200mm



ANGOLARE
330x1200mm



ISO 10545 RESULTS

2. DIMENSIONS AND SURFACE QUALITY
Conforms

3. WATER ABSORPTION
< 0.1%

4. FLEXURAL STRENGTH
45 N/mm²

6. DEEP ABRASION RESISTANCE
≤ 150 mm³

8. LINEAR THERMAL EXPANSION
6.6x10⁻⁶ °C

9. THERMAL SHOCK RESISTANCE
No rating

10. MOISTURE EXPANSION
No rating

12. FROST RESISTANCE
Conforms

13. CHEMICAL RESISTANCE
Conforms

14. STAIN RESISTANCE
Conforms

**SLIP RESISTANCE
(DIN 51130-51097)**
Natural R10 (A+B)
Anti Slip R11 (A+B)

CERTIFICATIONS:



EPD: Available
ISO 14001
SASO-Approved

For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to BS EN 16165:2021. HSE surface roughness and NCS Colour values are also available upon request. All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2026. 024.

65%
Pre-consumer



Solus Plus ranges are responsibly sourced in line with the BES 6001 standard for the responsible sourcing of construction products.

BIRMINGHAM
Unit 1 Cole River Park
Warwick Road B11 2QX

LONDON
80 Clerkenwell Road
EC1M 5RJ

MANCHESTER
14 Kennedy Street
M2 4BY

solusceramics.com
+44 (0)121 753 0777
sales@solusceramics.com

The logo features the word "SOLUS" in a large, white, sans-serif font. To the right of the "O" is a green circular icon containing a white plus sign (+). The background of the entire page is a photograph of large mounds of brown soil or sand, with a vertical wooden plank standing in the center.

SOLUS

About Solus Plus

Solus Plus is our new mark of assurance for responsibly sourced products. Built on the rigorous standards of BES 6001, it highlights collections produced by factories that demonstrate industry-leading sustainability across their entire supply chain, from raw material extraction to final delivery.

When specified through Solus, these products can contribute valuable credits toward BREEAM, LEED and WELL certification, helping you meet your environmental targets without compromising on quality or design. Look for the Solus Plus symbol to specify with confidence.

[Visit our website to learn more.](#)

[Back to top](#)