

Clay



A collection of full-body technical porcelain pieces in a good range of sizes that are LEED and BREEAM compliant.



Clay



ABOVE

Desk: 2CLA108

Floor: 2CLA103


Wall: 2CLA103

RIGHT

Floor: 2CLA107

Wall: 2CLA107 2CLA106






ABOVE Floor: 2CLA102 Wall: 2CLA104





SIZES AND FINISHES



Matural R10 (A+B)

MOSAIC



Mosaic

300x300x8mm (47x47mm Chips)

Natural R10 (A+B)

Available in all colours

APPEARANCE

Concrete

MATERIAL

Porcelain (Full Body)

USAGE

Floors and Walls

SHADE VARIATION

V2 - Light

SPECIAL PIECES

Available in all colours.

For more information contact our sales team.

BULLNOSE

70x600x8mm 65x1000x6mm



STEP TREADS

300x600x8mm 300x1000x6mm 300x1200x8mm



ISO 10545 RESULTS

2. DIMENSIONS AND SURFACE QUALITY

Conforms

10. MOISTURE EXPANSION

No rating

3. WATER ABSORPTION

≤ 0.5%

12. FROST RESISTANCE

Conforms

4. FLEXURAL STRENGTH

 $> 48 \text{ N/mm}^2$

13. CHEMICAL RESISTANCE

Conforms

6. DEEP ABRASION RESISTANCE

≤ 140 mm³

14. STAIN RESISTANCE

Class 5

8. LINEAR THERMAL EXPANSION

7 MK-1

SLIP RESISTANCE (DIN 51130-51097)

Natural R10 (A+B)

9. THERMAL SHOCK RESISTANCE

Conforms

MANUFACTURER CERTIFICATIONS:



ecovadis



EPD: Available ISO 14001

For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to BS EN 16165:2021. HSE surface roughness and NCS Colour values are also available upon request.

All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2023. 002a.