# Community




## Community

Community draws it's aesthetic from a mix of aged sandstone and limestone and is complemented by a selection of raised profile mosaics in all five shades.





Locality 3HCS103



Public 3HCS104



Nation 3HCS105



Residents 3HCS102



Hamlet 3HCS101




#### SIZES AND FINISHES



■ Matt R10 (A+B)  $\triangle$  Anti Slip R11 (A+B+C)

#### MOSAICS







Mosaic B

300x300x10mm

Matt R10 (A+B)

Available in all colours

### **Community**

APPEARANCE

Limestone

MATERIAL

Porcelain

USAGE

Floors and Walls

SHADE VARIATION

V3 - Moderate

ISO 10545 RESULTS

2. DIMENSIONS AND SURFACE QUALITY

Conforms

10. MOISTURE EXPANSION

No rating

3. WATER ABSORPTION

< 0.3%

12. FROST RESISTANCE

Conforms

4. FLEXURAL STRENGTH

> 45N/mm<sup>2</sup>

13. CHEMICAL RESISTANCE

Conforms

6. DEEP ABRASION RESISTANCE

No rating

14. STAIN RESISTANCE

Class 5

8. LINEAR THERMAL EXPANSION

 $< 7 \times 10^{-6} K^{-1}$ 

SLIP RESISTANCE (DIN 51130-51097)

Matt R10 (A+B) Anti Slip R11(A+B+C)

9. THERMAL SHOCK RESISTANCE

Conforms

On request tiles can be tested to BS EN 16165:2021. HSE surface roughness and NCS Colour values are also available upon request. All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2023. 002.