

Compress

4 COLOURS | 3 FINISHES | 3 SIZES | 1 MOSAIC



S
O
L
U
S

Floor:
2COM103

Compress

A new technology allows the distribution of grains of colour in a casually perfect fashion that ensures no two pieces are ever the same. The two finishes are pleasant to touch.



Floor:
2COM104
Wall:
2COM104

Compress



ABOVE
Floor:
2COM103

RIGHT
Floor:
2COM102
Wall:
2COM102



ABOVE
Floor:
2COM102
Wall:
2COM102



COM-Snow
2COM102



COM-Ash
2COM103



COM-Sand
2COM101



COM-Coal
2COM104



Wall:
2COM101

SIZES AND FINISHES



600x600
10.5mm



600x1200
10.5mm



1200x1200
10.5mm

All colours



▤ Satin

♥ Natural R10 (A+B)

△ Natural R11 (A+B+C)

MOSAICS



All colours

300x300x10.5mm

Natural R10 (A+B)

Compress

APPEARANCE

Ceppo di Gre

MATERIAL

Porcelain (Full Body)

USAGE

Floors and Walls

SHADE VARIATION

V2 - Light

SPECIAL PIECES


Available in all colours.

For more information contact our sales team.

BATTISCOPIA


60x600mm

60x1200mm



GRADINO

325x1200mm



ISO 10545 RESULTS

2. DIMENSIONS AND SURFACE QUALITY

Conforms

3. WATER ABSORPTION

$\leq 0.1\%$

4. FLEXURAL STRENGTH

$> 45 \text{ N/mm}^2$

6. DEEP ABRASION RESISTANCE

$< 140 \text{ mm}^3$

8. LINEAR THERMAL EXPANSION

$7 \times 10^{-6} \text{ }^\circ\text{C}$

9. THERMAL SHOCK RESISTANCE

Conforms

10. MOISTURE EXPANSION

No rating

12. FROST RESISTANCE

Conforms

13. CHEMICAL RESISTANCE

Conforms

14. STAIN RESISTANCE

Conforms

SLIP RESISTANCE (DIN 51130-51097)

Natural R10 (A+B)

Natural R11 (A+B+C)

For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to BS EN 16165:2021. HSE surface roughness and NCS Colour values are also available upon request. All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2024. 003.