

Cosmology

4 COLOURS | 3 FINISHES | 13 SIZES



S
O
S
L
U
S

Floor:
3LGY103

Cosmology

Cosmology realistically and physically replicates the look of natural slate. The surface of this high quality porcelain stoneware is littered with generous examples of iridescence, texture and imperfections.



Floor:
3LGY102

Cosmology



Floor:
3LGY104



Calcium
3LGY101



Radium
3LGY102
















Bromine
3LGY103



Krypton
3LGY104

SIZES AND FINISHES

| | | | | | | | | | | | | | |
|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|
| |  |  |  |  |  |  |  |  |  |  |  |  |  |
| | 83x195 9.5mm Gamma 16 SX | 83x195 9.5mm Gamma 16 DX | 145x498 9.5mm Gamma 72 | 169x392 9.5mm Gamma 66 SX | 169x392 9.5mm Gamma 66 DX | 300x600 9.5mm | 450x900 9.5mm | 450x900 20mm | 600x600 9.5mm | 600x600 20mm | 600x1200 9.5mm | 900x900 9.5mm | 900x900 20mm |
| All colours | ♥ | ♥ | ♥ | ♥ | ♥ | ♥ ■ | ♥ ■ | △ | ♥ ■ △ | △ | ♥ ■ | ♥ ■ | △ |
| | <p>♥ Natural R10 (A+B) ■ Honed Polished △ Anti Slip R11 (A+B+C)</p> | | | | | | | | | | | | |

Cosmology

APPEARANCE
Slate

MATERIAL
Porcelain


USAGE
Floors and Walls

SHADE VARIATION
V3 - Moderate


SPECIAL PIECES

More special pieces available.
For more information contact our sales team.


GRADINO PLUS
350x1200mm



ANGOLO DX GRADINO
350x1200mm



ANGOLO GRADINO
350x350mm



ISO 10545 RESULTS

2. DIMENSIONS AND SURFACE QUALITY
Conforms

3. WATER ABSORPTION
< 0.5%

4. FLEXURAL STRENGTH
> 50 N/mm²

6. DEEP ABRASION RESISTANCE
< 145 mm³

8. LINEAR THERMAL EXPANSION
 7×10^{-6} °C

9. THERMAL SHOCK RESISTANCE
Conforms

10. MOISTURE EXPANSION
No rating

12. FROST RESISTANCE
Conforms

13. CHEMICAL RESISTANCE
Conforms

14. STAIN RESISTANCE
Conforms

SLIP RESISTANCE
(DIN 51130-51097)
Natural R10 (A+B)
Anti Slip R11 (A+B+C)

MANUFACTURER CERTIFICATIONS:



EPD: Available
ISO 14001
ISO 17889-1

For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to BS EN 16165:2021. HSE surface roughness and NCS Colour values are also available upon request. All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2024. 009.

> 40%
Pre-consumer