

Craftwork

9 COLOURS | 2 FINISHES | 2 SIZES | 6 DECORS



S
O
L
U
S

Floor:
2CRA103
Wall:
2CRA103
2CRA102

Craftwork

Inspired by handmade Moroccan Zellige tiles, this vibrant range features décor designs that date from the 10th century, and a rainbow of colours that evoke the souks of Fez.



Floor:
2CRA103
2CRA101

Craftwork




ABOVE
Floor:
2CRA102
2CRA101
Wall:
2CRA101
Bar:
2CRA102



RIGHT
Floor:
2CRA102
2CRA102D005



ABOVE
Floor:
2CRA101
Wall:
2CRA108
2CRA104



CRA-White
2CRA103



CRA-Beige
2CRA101



CRA-Tan
2CRA102



CRA-Yellow
2CRA105



CRA-Mint
2CRA104



CRA-Green
2CRA108



CRA-Blue
2CRA106




CRA-Umber
2CRA107




CRA-Black
2CRA109




CRA-Beige Decor A
2CRA101D001
150x150x10mm
Matt R10




CRA-Beige Decor B
2CRA101D002
150x150x10mm
Matt R10



CRA-Beige Decor C
2CRA101D003
150x150x10mm
Matt R10



CRA-Tan Decor A
2CRA102D004
150x150x10mm
Matt R10



CRA-Tan Decor B
2CRA102D005
150x150x10mm
Matt R10



CRA-Tan Decor C
2CRA102D006
150x150x10mm
Matt R10

Floor:
2CRA109
2CRA101



Wall:
2CRA101
2CRA101D001

SIZES AND FINISHES

	50x150 10mm	150x150 10mm
CRA-White	◆	◆
CRA-Beige	●	●
CRA-Tan	●	●
CRA-Yellow	◆	
CRA-Mint	◆	
CRA-Green	◆	
CRA-Blue	◆	
CRA-Umber	◆	
CRA-Black	◆	

● Matt R10 ◆ Polished

NOTES

This is a handmade style product meaning there will be slight size and shape variations from tile to tile. The use of spacers is not recommended. Instead, it is advised to adjust each one of the tiles during installation. As a result, this will create character, a craftsman feel and a high aesthetic value.

For more information on slip resistance, please speak to a member of our sales team.

Craftwork

APPEARANCE

Mono Colour

MATERIAL

Porcelain

USAGE

Floors and Walls

SHADE VARIATION

V3 - Moderate

ISO 10545 RESULTS

2. DIMENSIONS AND SURFACE QUALITY

Conforms

3. WATER ABSORPTION

Conforms

4. FLEXURAL STRENGTH

No rating

6. DEEP ABRASION RESISTANCE

No rating

8. LINEAR THERMAL EXPANSION

No rating

9. THERMAL SHOCK RESISTANCE

No rating

10. MOISTURE EXPANSION

No rating

12. FROST RESISTANCE

Conforms

13. CHEMICAL RESISTANCE

Conforms

14. STAIN RESISTANCE

Class 5

SLIP RESISTANCE (DIN 51130-51097)

Matt R10

MANUFACTURER CERTIFICATIONS:

EPD: Available

For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to BS EN 16165:2021. HSE surface roughness and NCS Colour values are also available upon request. All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2024. 002b.