

18 COLOURS | 1 FINISH | 1 SIZE | 2 DECORS

Crystalline

S
O
LUS



Wall:
2CSY106
2CSY106D001
2CSY106D002

Crystalline

Crystalline is a glazed porcelain with a vitreous, mica-infused surface that shifts subtly with light and angle, revealing a soft mineral shimmer. It brings depth and subtle luminosity to interior spaces.



Wall:
2CSY101
2CSY102
2CSY103
2CSY103D002


Crystalline



ABOVE
Table:
2CSY118
Wall:
2CSY105
Floor:
2CSY110



RIGHT
Wall:
2CSY109
2CSY109D002



ABOVE
Floor:
2CSY112
Wall:
2CSY112
Counter:
2CSY118D002



Floor:
2CSY101
2CSY102
2CSY103



CSY-Bone
2CSY110




CSY-Linen
2CSY111




CSY-Beige
2CSY112



CSY-Tan
2CSY101



CSY-Camel
2CSY102




CSY-Moss
2CSY103



CSY-Honey
2CSY104



CSY-Spice
2CSY105



CSY-Amber
2CSY106



CSY-Saffron
2CSY116



CSY-Lava
2CSY117



CSY-Cayenne
2CSY118



CSY-Blue
2CSY113



CSY-Navy
2CSY114



CSY-Denim
2CSY115



CSY-Olive
2CSY107




CSY-Fern
2CSY108



CSY-Green
2CSY109



DECORS



Decor A

Available in colours:

CSY-Beige
CSY-Moss
CSY-Amber
CSY-Cayenne
CSY-Denim
CSY-Green

50x150x8.5mm

Gloss



Decor B

Available in colours:

CSY-Beige
CSY-Moss
CSY-Amber
CSY-Cayenne
CSY-Denim
CSY-Green

50x150x9mm

Gloss

NOTES

To avoid lippage we recommend the use of self-levelling spacers

Crystalline

APPEARANCE Mono Colour	SIZES AND FINISHES	
MATERIAL Porcelain	50x150 8.5mm	
USAGE Floors and Walls	All colours	◆
SHADE VARIATION V1 - Uniform		◆ Gloss

ISO 10545 RESULTS	
2. DIMENSIONS AND SURFACE QUALITY Conforms	10. MOISTURE EXPANSION No rating
3. WATER ABSORPTION ≤ 0.5%	12. FROST RESISTANCE Conforms
4. FLEXURAL STRENGTH 35 N/mm ²	13. CHEMICAL RESISTANCE Conforms
6. DEEP ABRASION RESISTANCE No rating	14. STAIN RESISTANCE Class 5
8. LINEAR THERMAL EXPANSION No rating	SLIP RESISTANCE (DIN 51130-51097) Ask for details
9. THERMAL SHOCK RESISTANCE No rating	

MANUFACTURER CERTIFICATIONS:

EPD: Available

For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to BS EN 16165:2021. HSE surface roughness and NCS Colour values are also available upon request. All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2026. 001.