

# Diffusion

11 COLOURS | 4 FINISHES | 4 SIZES



S  
O  
L  
U  
S

Wall:  
5VEL102

# Diffusion

A typical metro wall tile range centred around a neutral palette of colours. Uniquely featuring an interesting inverted bevelled format, which sets the range apart from the crowd.



Wall:  
5VEL101

# Diffusion



Wall:  
5VEL105  
5VEL102




Chinae  
5VEL102



Dawen  
5VEL101




Parsonby  
5VEL111




Eskdale  
5VEL103



Hallbeck  
5VEL110



Appleby  
5VEL109




Dragley  
5VEL104



Eamont  
5VEL106



Hesket  
5VEL107



Pooley  
5VEL108



Sawrey  
5VEL105



Wall:  
5VEL107

## SIZES AND FINISHES

	50x400 8.3mm	75x150 8.3mm	100x400 8.3mm	150x150 8.3mm
Chinae	◆ ●	◆ \ / ● ⊘	◆ ●	◆ ●
Dawen	◆	◆ \ /	◆	◆
Parsonby		◆		◆
Eskdale	◆	◆ \ /	◆	◆
Hallbeck		◆		◆
Appleby		◆		◆
Dragley	◆	◆ \ /	◆	◆
Eamont		◆ \ /		◆
Hesket		◆ \ /		◆
Pooley		◆ \ /		◆
Sawrey	◆ ●	◆ \ / ● ⊘	◆ ●	◆ ●

◆ Gloss   \ / Gloss InMetro   ● Matt   ⊘ Matt InMetro

## INMETRO FINISHES



Gloss InMetro finish



Matt InMetro finish

## NOTES

Eamont, Hesket, and Pooley colours are made with special glazes that tend to have a natural crackle effect and low resistance to acids, alkalis and aggressive cleaning products. Do not use aggressive cleaning products like bleach or ammonia. It's recommended to apply sealant before grouting for these three colours.

# Diffusion

## APPEARANCE

Mono Colour

## MATERIAL

Ceramic

## USAGE

Walls only

## SHADE VARIATION

V1 - Uniform


## SPECIAL PIECES

More special pieces available.

For more information contact our sales team.

### BULLNOSE


75x150mm



### LONDON

50x200mm

50x150mm



### TORELLO


20x200mm

20x150mm



### JOLLY


12x200mm



### PENCIL BULLNOSE


30x200mm

30x150mm



### SKIRTING

150x150mm



## ISO 10545 RESULTS

### 2. DIMENSIONS AND SURFACE QUALITY

Conforms

### 3. WATER ABSORPTION

> 10%

### 4. FLEXURAL STRENGTH

No rating

### 6. DEEP ABRASION RESISTANCE

No rating

### 8. LINEAR THERMAL EXPANSION

No rating

### 9. THERMAL SHOCK RESISTANCE

Conforms

### 10. MOISTURE EXPANSION

No rating

### 12. FROST RESISTANCE

No rating

### 13. CHEMICAL RESISTANCE

Conforms

### 14. STAIN RESISTANCE

Conforms

## MANUFACTURER CERTIFICATIONS:

EPD: Available

For LEED, BREEAM and WELL information, please ask for details. NCS Colour values are also available upon request. All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2024. 006.