

# Eminence

5 COLOURS | 2 FINISHES | 9 SIZES | 1 MOSAIC | 2 DECORS | 1 TRIM



S  
LUS

Floor:  
2WWT104  
Wall:  
2WWT105

# Eminence

A dynamic porcelain range that delivers the look of modern stone, Eminence is available in 5 neutral colours, various herringbone designs and slabs embedded with metallic strips.



Floor:  
2WWT104  
Wall:  
2WWT105

# Eminence



Wall:  
2WWT104d104




Honor  
2WWT101




Esteem  
2WWT102



Kudos  
2WWT103



Celebrity  
2WWT104



Rise  
2WWT105




Wall:  
2WWT101d201



Decor B  
All colours  
600x1200x9mm  
Matt R10



Bronze trim  
5x1200mm

















Decor A  
All colours  
300x600x9mm  
Textured R10



Mosaic  
All colours  
300x300x9mm  
Matt R10

## SIZES AND FINISHES

									
	300x600 9mm	600x600 9mm	600x600 20mm	600x1200 9mm	600x1200 20mm	800x800 9mm	800x800 20mm	1200x1200 9mm	1200x2780 6mm *
 Honor	● △	● △		●		●		●	●
 Esteem	● △	● △	△	●	△	●	△	●	●
 Kudos	● △	● △		●		●		●	●
 Celebrity	● △	● △	△	●	△	●	△	●	●
 Rise	● △	● △	△	●	△	●	△	●	●

● Matt R10    △ Textured R11 (A+B+C)

### NOTES

\* 1200x2780x6mm is for walls only.

# Eminence

## APPEARANCE

Limestone

## MATERIAL

Porcelain

## USAGE

Floors and Walls

## SHADE VARIATION

V3 - Moderate

## SPECIAL PIECES


Available in all colours.

For more information contact our sales team.

## BATTISCOPIA


72x600mm

72x800mm




## SCALINO

330x1200mm




## SCALINO ANGOLARE

330x1200mm



## ELEMENTO ELLE

150x600mm



## ISO 10545 RESULTS

### 2. DIMENSIONS AND SURFACE QUALITY

Conforms

### 3. WATER ABSORPTION

$\leq 0.1\%$

### 4. FLEXURAL STRENGTH

40 N/mm<sup>2</sup>

### 6. DEEP ABRASION RESISTANCE

150 mm<sup>3</sup>

### 8. LINEAR THERMAL EXPANSION

$< 7 \text{ (MK)}^{-1}$

### 9. THERMAL SHOCK RESISTANCE

Conforms

### 10. MOISTURE EXPANSION

No rating

### 12. FROST RESISTANCE

Conforms

### 13. CHEMICAL RESISTANCE

Conforms

### 14. STAIN RESISTANCE

Conforms

### SLIP RESISTANCE (DIN 51130-51097)

Matt R10

Textured R11 (A+B+C)

Textured R10

## MANUFACTURER CERTIFICATIONS:



EPD: Available

ISO 14001

ISO 17889-1

For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to BS EN 16165:2021. HSE surface roughness and NCS Colour values are also available upon request. All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2024. 005.