

# Flecked

4 COLOURS | 2 FINISHES | 3 SIZES



LOS  
LUS

Floor:  
2HVF102



# Flecked

Exploring the popular trend for terrazzo style, Flecked is a creatively composed range that showcases a highly speckled and bold surface design.



Floor:  
2HVF104




# Flecked




Floor:  
2HVF103





Freckle  
2HVF101



Motley  
2HVF103



Sprinkles  
2HVF102



Stippel  
2HVF104



Floor:  
2HVF102  
Wall:  
2HVF102

## SIZES AND FINISHES

	600x600 10mm	800x800 11mm	1200x1200 11mm
All colours	● □	●	● □
			● Matt R9    □ Polished



## APPEARANCE

Terrazzo

## MATERIAL

Porcelain

## USAGE

Floors and Walls

## SHADE VARIATION

V2 - Light

## SPECIAL PIECES

Available in all colours.

For more information contact our sales team.


## SKIRTING

94x600mm

94x590mm

94x800mm

94x1200mm




## STEP TRED

330x593mm

330x600mm

330x800mm

330x1200mm




## GRADONE

330x593mm

330x600mm

330x800mm

330x1200mm



## ISO 10545 RESULTS

### 2. DIMENSIONS AND SURFACE QUALITY

Conforms

### 3. WATER ABSORPTION

< 0.5%

### 4. FLEXURAL STRENGTH

> 35 N/mm<sup>2</sup>

### 6. DEEP ABRASION RESISTANCE

No rating

### 8. LINEAR THERMAL EXPANSION

$9 \times 10^{-6}$  °C

### 9. THERMAL SHOCK RESISTANCE

Conforms

### 10. MOISTURE EXPANSION

No rating

### 12. FROST RESISTANCE

Conforms

### 13. CHEMICAL RESISTANCE

Conforms

### 14. STAIN RESISTANCE

Class 4


### SLIP RESISTANCE (DIN 51130-51097)

Matt R9

## MANUFACTURER CERTIFICATIONS:

EPD: Available

For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to BS EN 16165:2021. HSE surface roughness and NCS Colour values are also available upon request. All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2024. 005.

 > 45%  
Pre-consumer