
Flintstone



Flintstone &

A touching tribute to authentic limestone, the highly versatile Flintstone range is offered in an array of shades, shapes, sizes and finishes.



Flintstone



ABOVE

Floor: 2NDT104

Wall: 2NDT104m104

RIGHT

Floor: 2NDT102





ABOVE Floor: 2NDT101

Wall: 2NDT101m301







Bretton 2NDT102



Holywell 2NDT103




Brynford 2NDT104



Whelston 2NDT105




SIZES AND FINISHES



 \P Natural R10(A+B) \square Honed R9 \square Textured R11 (A+B+C)

MOSAICS







Mosaic B
All colours
300x300x9.5mm
Natural R10 (A+B)



Mosaic C
All colours
291x310x9.5mm
Honed R9

Flintstone

APPEARANCE

Marble

MATERIAL

Porcelain

USAGE

Floors and Walls

SPECIAL PIECES

More special pieces available. For more information contact our sales team.

BATTISCOPA

75x600x9.5mm



GRADINO PLUS

350x1200x9.5mm



GRIGLIA

150x600x20mm



COSTA TORO ANGOLARE SX / DX

300x600x20mm



COSTA TORO STEP

300x600x20mm



ISO 10545 RESULTS

2. DIMENSIONS AND SURFACE QUALITY

Conforms

10. MOISTURE EXPANSION

No rating

3. WATER ABSORPTION

0.05%

12. FROST RESISTANCE

Conforms

4. FLEXURAL STRENGTH

50 N/mm²

13. CHEMICAL RESISTANCE

Conforms

6. DEEP ABRASION RESISTANCE

145 mm³

14. STAIN RESISTANCE

Conforms

8. LINEAR THERMAL EXPANSION

7x10⁻⁶ °C⁻¹

SLIP RESISTANCE (DIN 51130-51097)

Natural R10 (A+B) Honed R9 Textured R11 (A+B+C)

9. THERMAL SHOCK RESISTANCE

No rating

MANUFACTURER CERTIFICATIONS:





EPD: Available

ISO 14001 ISO 17889-1

For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to BS EN 16165:2021. HSE surface roughness and NCS Colour values are also available upon request.

All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2023. 003a.



Pre-consumer