

Fornia

22 COLOURS | 1 FINISH | 1 SIZE



S
O
S
L
U
S

Wall:
6QMR609


Fornia

Fornia is a colourful range of 25mm square unglazed vitrified ceramic mosaic tiles. Easy to clean and versatile, these tiles are ideal for walls, floors and outdoor areas and are available with flat or curved surfaces.




Flooring:
3AFB176


Wall:
6QMR552




Float
6QMR550




Cressey
6QMR552




Corton
6QMR554




Singe
6QMR562



Traffic
6QMR566




Giltspur
6QMR601




Pepys
6QMR602




Hobbs
6QMR563




Sprite
6QMR551




Parkwood
6QMR564




Arboretum
6QMR565




Adie
6QMR609




Ebley
6QMR607




Brook
6QMR567




Orme
6QMR605




Ravey
6QMR608




Scarpa
6QMR570




Water Meadow
6QMR569




Quex
6QMR606



Byward
6QMR603



Jarmyn
6QMR604



Orpheus
6QMR573

APPEARANCE

Mosaic

MATERIAL

Porcelain - Full Body

USAGE

Floors and Walls

SHADE VARIATION

V3 - Moderate

SIZES AND FINISHES

■
24x24
3.5mm
(250x250x3.5 Sheet)

All colours



♥ Matt Unglazed R10 (A+B+C)

ISO 10545 RESULTS

2. DIMENSIONS AND SURFACE QUALITY

Conforms

3. WATER ABSORPTION

≤ 0.1%

4. FLEXURAL STRENGTH

800 N

6. DEEP ABRASION RESISTANCE

No rating

8. LINEAR THERMAL EXPANSION

7.8-7.9×10⁻⁶ °C

9. THERMAL SHOCK RESISTANCE

Conforms

10. MOISTURE EXPANSION

Conforms

12. FROST RESISTANCE

Conforms

13. CHEMICAL RESISTANCE

Conforms

14. STAIN RESISTANCE

Class 3

SLIP RESISTANCE (DIN 51130-51097)

Matt Unglazed R10 (A+B+C)

MANUFACTURER CERTIFICATIONS:



ISO 14001

For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to BS EN 16165:2021. HSE surface roughness and NCS Colour values are also available upon request. All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2024. 007.