

# Fornia

25 COLOURS | 1 FINISH | 3 SIZES



S  
O  
S  
L  
U  
S

Wall:  
6QMR609


# Fornia

Fornia is a colourful range of square unglazed vitrified ceramic mosaic tiles. Easy to clean and versatile, these tiles are ideal for walls, floors and outdoor areas and are available with flat or curved surfaces.




Floor:  
3AFB103


Wall:  
6QMR552




Float  
6QMR550




Cressey  
6QMR552




Corton  
6QMR554




Flora  
6QMR572




Custard  
6QMR555




Figaro  
6QMR556




Singe  
6QMR562




Traffic  
6QMR566




Giltspur  
6QMR601




Pepys  
6QMR602




Hobbs  
6QMR563




Sprite  
6QMR551




Parkwood  
6QMR564




Arboretum  
6QMR565




Adie  
6QMR609




Ebley  
6QMR607




Brook  
6QMR567




Orme  
6QMR605




Ravey  
6QMR608




Scarpa  
6QMR570




Water Meadow  
6QMR569




Quex  
6QMR606



Byward  
6QMR603



Jarmyn  
6QMR604



Orpheus  
6QMR573




**APPEARANCE**  
Mosaic

**MATERIAL**  
Porcelain - Full Body

**USAGE**  
Floors and Walls

**SHADE VARIATION**  
V3 - Moderate

**SIZES AND FINISHES**

	 25x25 3.5mm chips (300x300x3.5mm mesh)	 50x50 6mm chips (300x300x3.5mm mesh)	 100x100 7.5mm
Float	♥	♥	♥
Cressey	♥	♥	
Corton	♥	♥	
Flora	♥	♥	
Custard	♥	♥	
Figaro	♥	♥	♥
Singe	♥	♥	♥
Traffic	♥	♥	
Giltspur	♥	♥	
Pepys	♥	♥	
Hobbs	♥	♥	
Sprite	♥	♥	♥
Parkwood	♥	♥	
Arboretum	♥	♥	
Adie	♥	♥	♥
Ebley	♥	♥	
Brook	♥	♥	
Orme	♥	♥	
Ravey	♥	♥	
Scarpa	♥	♥	♥
Water Meadow	♥	♥	
Quex	♥	♥	♥
Byward	♥	♥	♥
Jarmyn	♥	♥	♥
Orpheus	♥	♥	♥

♥ Matt Unglazed R10 (A+B+C)

**ISO 10545 RESULTS**

**2. DIMENSIONS AND SURFACE QUALITY**  
Conforms

**3. WATER ABSORPTION**  
≤ 0.1%

**4. FLEXURAL STRENGTH**  
800 N

**6. DEEP ABRASION RESISTANCE**  
No rating

**8. LINEAR THERMAL EXPANSION**  
7.8-7.9×10<sup>-6</sup> °C

**9. THERMAL SHOCK RESISTANCE**  
Conforms

**10. MOISTURE EXPANSION**  
Conforms

**12. FROST RESISTANCE**  
Conforms

**13. CHEMICAL RESISTANCE**  
Conforms

**14. STAIN RESISTANCE**  
Class 3

**SLIP RESISTANCE  
(DIN 51130-51097)**  
Matt Unglazed R10 (A+B+C)

**MANUFACTURER CERTIFICATIONS:**



EPD: Available  
ISO 14001

For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to BS EN 16165:2021. HSE surface roughness and NCS Colour values are also available upon request. All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2026. 010.