

# Garrison

4 COLOURS | 2 FINISHES | 5 SIZES | 2 MOSAICS | 6 DECORS



S  
LUS

Floor:  
2LHF101  
Wall:  
2LHF101  
2LHF104  
2LHF109

# Garrison

Featuring lightly speckled concrete effect colours, ornate bold patterns, and a highly distinctive and unique gravel option, made up of large 'terrazzo' style pieces.



Floor:  
2LHF108  
2LHF104

# Garrison



ABOVE  
Floor:  
2LHF102  
2LHF106  
Wall:  
2LHF106  
2LHF102

RIGHT  
Floor:  
2LHF108



ABOVE  
Floor:  
2LHF104  
Wall:  
2LHF104  
2LHF104M104



Stockade  
2LHF101



Rampart  
2LHF102



Palisade  
2LHF103



Bulwark  
2LHF104

## DECORS



Defender

2LHF105

300x300x10mm  
900x900x10mm  
900x900x20mm

Natural R10 10mm thick  
Anti Slip R11 (A+B) 20mm thick



Protector

2LHF106

300x300x10mm  
900x900x10mm  
900x900x20mm

Natural R10 10mm thick  
Anti Slip R11 (A+B) 20mm thick



Defence

2LHF107

300x300x10mm  
900x900x10mm

Natural R10



Stronghold

2LHF108

300x300x10mm  
900x900x10mm

Natural R10



Fort

2LHF109

300x300x10mm

Natural R10



Barrick

2LHF110

300x300x10mm

Natural R10

## MOSAICS




Mosaic A

All colours

300x300x10mm

Natural R10



Mosaic B

All colours










300x300x10mm

Natural R10



Floor:  
2LHF103  
Wall:  
2LHF103  
2LHF103M203

## SIZES AND FINISHES

	 300x600 10mm	 600x600 10mm	 600x1200 10mm	 900x900 10mm	 900x900 20mm
 Stockade	♥	♥	♥	♥	△
 Rampart	♥	♥	♥	♥	△
 Palisade	♥	♥	♥	♥	
 Bulwark	♥	♥	♥	♥	

♥ Natural R10    △ Anti Slip R11 (A+B)

## APPEARANCE

Concrete

## MATERIAL

Porcelain

## USAGE

Floors and Walls

## SHADE VARIATION

V3 - Moderate

## ISO 10545 RESULTS

### 2. DIMENSIONS AND SURFACE QUALITY

Conforms

### 3. WATER ABSORPTION

< 0.5%

### 4. FLEXURAL STRENGTH

35 N/mm<sup>2</sup>

### 6. DEEP ABRASION RESISTANCE

No rating

### 8. LINEAR THERMAL EXPANSION

No rating

### 9. THERMAL SHOCK RESISTANCE

No rating

### 10. MOISTURE EXPANSION

No rating

### 12. FROST RESISTANCE

Conforms

### 13. CHEMICAL RESISTANCE

Conforms

### 14. STAIN RESISTANCE

Class 4

### SLIP RESISTANCE (DIN 51130-51097)

Natural R10  
Anti Slip R11 (A+B)

## MANUFACTURER CERTIFICATIONS:



EPD: Available

ISO 14001

ISO 17889-1

For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to BS EN 16165:2021. HSE surface roughness and NCS Colour values are also available upon request. All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2024. 004.