
# Glamour



Inspired by a variety of marble known as Silk Georgette, Glamour mimics the light, elegant texture of draped fabric. Available in neutral shades from light to dark, its endless succession of lines creates a vibrant, decorative surface.



Glamour &




ABOVE Floor: 3FWL005

Wall: 3FWL002

RIGHT

Floor: 3FWL005





ABOVE Floor: 3FWL001









Beauty 3FWL001

Appeal 3FWL002

Captivated 3FWL003







Attraction 3FWL005



#### **DECORS**







Beauty Decor 3FWL001D101 200x1200x9mm 300x600x9mm 600x1200x9mm

Textured

Appeal Decor 3FWL002D102 200x1200x9mm 300x600x9mm 600x1200x9mm

Textured

Captivated Decor

3FWL003D103

200x1200x9mm
300x600x9mm
600x1200x9mm
Textured



Magnetism Decor 3FWL004D104 200x1200x9mm 300x600x9mm 600x1200x9mm

Textured



Attraction Decor

3FWL005D105

200x1200x9mm
300x600x9mm
600x1200x9mm
Textured

#### MOSAICS



Beauty Mosaic A

3FWL001M101

300x300x9mm

Honed



Appeal Mosaic A

3FWL002M102

300x300x9mm

Honed



Captivated Mosaic A
3FWL003M103
300x300x9mm
Honed



Magnetism Mosaic A
3FWL004M104
300x300x9mm
Honed



Attraction Mosaic A
3FWL005M105
300x300x9mm
Honed



Beauty Mosaic B

3FWL001M201

300x300x9mm

Textured

Appeal Mosaic B

3FWL002M202

300x300x9mm

Textured





Magnetism Mosaic B

3FWL004M204

300x300x9mm

Textured



Attraction Mosaic B
3FWL005M205
300x300x9mm
Textured

#### SIZES AND FINISHES



ightharpoonup Natural R10 ightharpoonup Honed ightharpoonup Anti Slip R11 (A+B)

### NOTES

## **Glamour**

**APPEARANCE** 

Travertine

MATERIAL

Porcelain

USAGE

Floors and Walls

SHADE VARIATION

V3 - Moderate

SPECIAL PIECES

Available in all colours.

For more information contact our sales team.

BULLNOSE

75x600mm

ISO 10545 RESULTS

2. DIMENSIONS AND SURFACE QUALITY

Conforms

10. MOISTURE EXPANSION

No rating

3. WATER ABSORPTION

Conforms

12. FROST RESISTANCE

Conforms

4. FLEXURAL STRENGTH

Conforms

13. CHEMICAL RESISTANCE

Conforms

6. DEEP ABRASION RESISTANCE

Conforms

14. STAIN RESISTANCE

No rating

8. LINEAR THERMAL EXPANSION

No rating

SLIP RESISTANCE (DIN 51130-51097)

Natural R10 Anti Slip R11 (A+B)

9. THERMAL SHOCK RESISTANCE

No rating

MANUFACTURER CERTIFICATIONS:



EPD: Available

ISO 14001

ISO 17889-1

For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to BS EN 16165:2021. HSE surface roughness and NCS Colour values are also available upon request.

All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2025. 004.

EC1M 5RJ