

Glass Source


59 COLOURS | 2 FINISHES | 18 SIZES



S
O
LUS

Glass Source







A multitude of beautiful glass mosaic colours, this range offers a huge variety of options for designers. In addition Glass Source tiles are available in a diverse selection of shapes and sizes.



Wall:
6TRG441



Wall:
6TRG426

									
Grappa 6TRG406	Snowstorm 6TRG407	Whisper 6TRG426	Richmond 6TRG408	Bells 6TRG409	Pewter 6TRG410	Cinder 6TRG400	Giacchetta 6TRG615	Cody 6TRG447	Ambrosia 6TRG411
									
Boater 6TRG412	Coop 6TRG414	Syrup 6TRG434	Granville 6TRG435	Russet 6TRG620	Staff 6TRG436	Brevi 6TRG606	Date 6TRG418	Roswell 6TRG446	Balm 6TRG432
									
Tropic 6TRG437	Armagnac 6TRG424	Terracotta 6TRG431	Spicy 6TRG601	Baronio* 6TRG607	Dreamy 6TRG422	Watermelon 6TRG433	Sorbet 6TRG423	Berry 6TRG438	Belardi 6TRG614
									
Daisy 6TRG430	Butter 6TRG415	Melodise 6TRG603	Milaca 6TRG600	Cirillo 6TRG617	Solar 6TRG416	Candelabra 6TRG444	Chouder 6TRG602	Gooseberry 6TRG419	Poplar 6TRG420
									
Melon 6TRG441	Orchard 6TRG421	Leafy 6TRG621	Uppington 6TRG604	Source 6TRG442	Restful 6TRG443	Dominica 6TRG428	Haiti 6TRG427	Palest 6TRG425	Taibi 6TRG613
									
Bath 6TRG401	Cool 6TRG403	Regent 6TRG404	Ultramarine 6TRG402	Foglio 6TRG612	Kallon 6TRG611	Oceania 6TRG440	Oxford 6TRG439	Indigo 6TRG405	

SIZES AND FINISHES

																
	8x8 4mm	12x12 4/5mm	12x38 6mm	15x15 4mm	20x40 4mm	25x25 4mm	25x50 6mm	40x40 4mm	50x50 8mm	12x24 3/5.5mm	20x25 4mm	30x35 4mm	23x23 4mm	35x35x35 4.5mm	37x37 7mm	19.7x48 7mm
All colours*	◆ △	◆ △	◆ △	◆ △	◆ △	◆ △	◆* △	◆ △	◆ △	◆ △	◆ △	◆ △	◆ △	◆ △	◆ △	◆ △

◆ Gloss R11 △ Anti Slip R12 (A+B+C)

NOTES

* Gloss finish in 20x50mm is available in all colours EXCEPT Boranio.

APPEARANCE
Mosaic

MATERIAL
Glass

USAGE
Floors and Walls

ISO 10545 RESULTS

2. DIMENSIONS AND SURFACE QUALITY
Conforms

3. WATER ABSORPTION
0.1%

4. FLEXURAL STRENGTH
66.8 N/mm²

6. DEEP ABRASION RESISTANCE
No rating

8. LINEAR THERMAL EXPANSION
No rating

9. THERMAL SHOCK RESISTANCE
Conforms

10. MOISTURE EXPANSION
No rating

12. FROST RESISTANCE
Conforms

13. CHEMICAL RESISTANCE
Conforms

14. STAIN RESISTANCE
Class 5

SLIP RESISTANCE
(DIN 51130-51097)
Gloss R11
Anti Slip R12 (A+B+C)

MANUFACTURER CERTIFICATIONS:

EPD: Available

For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to BS EN 16165:2021. HSE surface roughness and NCS Colour values are also available upon request. All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2025. 006b.

 98%
Pre-consumer