

# Granulate

5 COLOURS | 2 FINISHES | 5 SIZES | 1 MOSAIC



S  
O  
L  
U  
S

Floor:  
3GRN102

# Granulate

This porcelain, full body terrazzo-effect collection has fantastic slip rating, making it suitable for indoor to outdoor projects and wet areas. Five sizes and colour arrangements lend design flexibility to this range.



Floor:  
3GRN101  
Wall:  
3GRN101

# Granulate




ABOVE  
Floor:  
3GRN101  
Wall:  
3GRN101


RIGHT  
Floor:  
3GRN105



ABOVE  
Wall:  
3GRN102




GRN-White  
3GRN101



GRN-Cream  
3GRN102



GRN-Green  
3GRN103




GRN-Ice  
3GRN104




GRN-Grey  
3GRN105




Floor:  
3GRN105




GRN-White Mosaic  
3GRN101M101  
300x300x9mm (50x50 chips)  
Natural




GRN-Cream Mosaic  
3GRN102M101  
300x300x9mm (50x50 chips)  
Natural



GRN-Green Mosaic  
3GRN103M101  
300x300x9mm (50x50 chips)  
Natural



GRN-Ice Mosaic  
3GRN104M101  
300x300x9mm (50x50 chips)  
Natural













GRN-Grey Mosaic  
3GRN105M101  
300x300x9mm (50x50 chips)  
Natural



Floor :  
3GRN101

## SIZES AND FINISHES

	 600x600 9mm	 600x600 20mm	 600x1200 9mm	 800x800 20mm	 1200x1200 9mm
 GRN-White	♥	●	♥	●	♥
 GRN-Cream	♥		♥		♥
 GRN-Green	♥		♥		♥
 GRN-Ice	♥		♥		♥
 GRN-Grey	♥	●	♥	●	♥

♥ Natural R10 (A)    ● Natural R11 (A+B+C)

# Granulate

## APPEARANCE

Terrazzo

## MATERIAL

Porcelain - Full Body

## USAGE

Floors and Walls

## SHADE VARIATION


V2 - Light

## SPECIAL PIECES

For more information contact our sales team.

## BATTISCOPIA

75x600mm



## ISO 10545 RESULTS

### 2. DIMENSIONS AND SURFACE QUALITY

Conforms

### 3. WATER ABSORPTION

$\leq 0.5\%$

### 4. FLEXURAL STRENGTH

$\geq 35 \text{ N/mm}^2$

### 6. DEEP ABRASION RESISTANCE

No rating

### 8. LINEAR THERMAL EXPANSION

$7 \times 10^{-6} / ^\circ\text{C}$

### 9. THERMAL SHOCK RESISTANCE

Conforms

### 10. MOISTURE EXPANSION

0.0 mm/m

### 12. FROST RESISTANCE

Conforms

### 13. CHEMICAL RESISTANCE

Min class B

### 14. STAIN RESISTANCE

Min class 3

### SLIP RESISTANCE (DIN 51130-51097)

Natural R10 (A)

Natural R11 (A+B+C)

## MANUFACTURER CERTIFICATIONS:

EPD: Available

ISO 14001

For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to BS EN 16165:2021. HSE surface roughness and NCS Colour values are also available upon request. All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2025. 001.