

# Gritstone

4 COLOURS | 2 FINISHES | 5 SIZES



S  
O  
LUS



Floor:  
2VXT104  
Wall:  
2VXT104

# Gristone

Gristone takes on the appearance of manually mixed, course grained concrete, complete with dynamic gritty clusters and randomly scattered pieces of gravel.



S  
O  
LUS



Solus Plus ranges are responsibly sourced in line with the BES 6001 standard.

For more information, [click here](#)

Floor:  
2VXT101



Doran  
2VXT101



Gortree  
2VXT104



Leode  
2VXT102












Cairnhill  
2VXT103



Floor:  
2VXT104

## SIZES AND FINISHES

	 300x600 9mm	 600x600 9mm	 600x1200 9mm	 750x750 9mm	 1200x1200 9mm
 Doran	● \	● \	● \	● \	● \
 Gortree	● \	● \	● \	● \	● \
 Leode	● \	● \	● \	● \	● \
 Cairnhill	● \	● \	● \	● \	● \

● Matt R10 (A+B) \ Matt

**APPEARANCE**  
Concrete


**MATERIAL**  
Porcelain

**USAGE**  
Floors and Walls

**SHADE VARIATION**  
V3 - Moderate

**SPECIAL PIECES**  
Available in all colours.  
For more information contact our sales team.

**BATTISCOPIA**  
70x600mm  
70x750mm



## ISO 10545 RESULTS

**2. DIMENSIONS AND SURFACE QUALITY**  
Conforms

**3. WATER ABSORPTION**  
0.2%

**4. FLEXURAL STRENGTH**  
Conforms

**6. DEEP ABRASION RESISTANCE**  
Conforms

**8. LINEAR THERMAL EXPANSION**  
7 MK<sup>-1</sup>

**9. THERMAL SHOCK RESISTANCE**  
Conforms

**10. MOISTURE EXPANSION**  
No rating

**12. FROST RESISTANCE**  
Conforms

**13. CHEMICAL RESISTANCE**  
Conforms


**14. STAIN RESISTANCE**  
Class 5

**SLIP RESISTANCE  
(DIN 51130-51097)**  
Matt R10 (A+B)

## CERTIFICATIONS:



For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to BS EN 16165:2021. HSE surface roughness and NCS Colour values are also available upon request. All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2026. 008.



The logo consists of the word "SOLUS" in a large, white, sans-serif font, stacked vertically. To the right of the letter "O" is a green circular icon containing a white plus sign (+). The background of the entire page is a photograph of large piles of sand or gravel in an industrial setting, with a vertical metal beam in the center.

S  
O  
LUS

## About Solus Plus

Solus Plus is our new mark of assurance for responsibly sourced products. Built on the rigorous standards of BES 6001, it highlights collections produced by factories that demonstrate industry-leading sustainability across their entire supply chain, from raw material extraction to final delivery.

When specified through Solus, these products can contribute valuable credits toward BREEAM, LEED and WELL certification, helping you meet your environmental targets without compromising on quality or design. Look for the Solus Plus symbol to specify with confidence.

[Visit our website to learn more.](#)

[Back to top](#)