

Hardwood

8 COLOURS | 3 FINISHES | 3 SIZES | 2 DECORS



S
O
L
U
S

Floor:
3HAR105

Hardwood

The Hardwood collection expresses the warm, natural aesthetic of planed timber but with the technical advantages of porcelain. Hard-wearing, stain-resistant and durable, Hardwood is shaped to look like wooden boards.



Floor:
3HAR106

Hardwood



Floor:
3HAR104



HAR-Dew
3HAR101



HAR-Hazelnut
3HAR102



HAR-Caramel
3HAR103



HAR-Spice
3HAR104



HAR-Cococa
3HAR105



HAR-Hazelnut Raw
3HAR106



HAR-Caramel Raw
3HAR107



HAR-Spice Raw
3HAR108



Floor:
3HAR103

DECORS



HAR-Dew Decor A

3HAR101D101

210x420x9mm SX/DX

Matt Textured



HAR-Hazelnut Decor A

3HAR102D102

210x420x9mm SX/DX

Matt Textured



HAR-Caramel Decor A

3HAR103D103

210x420x9mm SX/DX

Matt Textured



HAR-Spice Decor A

3HAR104D104

210x420x9mm SX/DX

Matt Textured



HAR-Cocoa Decor A

3HAR105D105

210x420x9mm SX/DX

Matt Textured



HAR-Hazelnut Decor B

3HAR102D106

1200x2780x6mm

Matt Textured



HAR-Caramel Decor B

3HAR103D107

1200x2780x6mm

Matt Textured



HAR-Spice Decor B

3HAR108D108

1200x2780x6mm

Matt Textured

Hardwood

APPEARANCE

Wood

MATERIAL

Porcelain









USAGE

Floors and Walls

SHADE VARIATION

V2 - Light

SIZES AND FINISHES

	200x1200 9mm	250x1500 9mm	300x1200 20mm
 HAR-Dew	♥ ●	●	
 HAR-Hazelnut	♥ ●	●	△
 HAR-Caramel	♥ ●	●	△
 HAR-Spice	♥ ●	●	△
 HAR-Cococa	♥ ●	●	
 HAR-Hazelnut Raw	●		△
 HAR-Caramel Raw	●		△
 HAR-Spice Raw	●		△

♥ Natural R10 (A) ● Matt Textured △ Anti Slip R11 (A+B+C)

NOTES

To avoid lippage we recommend the use of self-levelling spacers

ISO 10545 RESULTS

2. DIMENSIONS AND SURFACE QUALITY

Conforms

3. WATER ABSORPTION

≤ 0.1%

4. FLEXURAL STRENGTH

≥ 48 N/mm²

6. DEEP ABRASION RESISTANCE

< 150 mm³

8. LINEAR THERMAL EXPANSION

6.6x10⁻⁶°C⁻¹

9. THERMAL SHOCK RESISTANCE

Conforms

10. MOISTURE EXPANSION

No rating

12. FROST RESISTANCE

Conforms

13. CHEMICAL RESISTANCE

Conforms

14. STAIN RESISTANCE

Class 5

SLIP RESISTANCE (DIN 51130-51097)

Natural R10 (A)
Anti Slip R11 (A+B+C)

MANUFACTURER CERTIFICATIONS:

Declare.

ecovadis



EPD: Available

ISO 14001

ISO 17889-1

For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to BS EN 16165:2021. HSE surface roughness and NCS Colour values are also available upon request. All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2024. 001.