

# Honeycomb

17 COLOURS | 1 FINISH | 14 SIZES



S  
LUS

Floor:  
2TRR511  
2TRR526

# Honeycomb

Honeycomb is a porcelain tile range available in an array of shapes and colours allowing you to create new and innovative patterns.




Floor:  
2TRR516  
2TRR515  
2TRR517

# Honeycomb




Floor:  
2TRR526  
2TRR512  
2TRR511





Floor:  
2TRR509

## SIZES AND FINISHES (MM)




150x170x10  
Hexagon



74x85x10  
Triangolo



85x150x10  
Rombo



74x170x10  
Trapezio



43x150x10  
Triangolo



SX DX  
36x85x10  
Traingolo SX / DX




150x150x10



75x150x10



75x75x10



62x62x10  
Tozzetto

150x150x10  
Ottagono  
Regolare



75x225x10  
Losanga



150x210x10  
Provenzale



120x210x10  
Rombo

## NOTES

All colours are available in all sizes in a Matt R10 finish.

## APPEARANCE

Mono Colour

## MATERIAL

Porcelain

## USAGE

Floors and Walls

## SHADE VARIATION

V1 - Uniform

## ISO 10545 RESULTS

---

### 2. DIMENSIONS AND SURFACE QUALITY

Conforms

---

### 3. WATER ABSORPTION

0.1%

---

### 4. FLEXURAL STRENGTH

≥ 50 N/mm<sup>2</sup>

---

### 6. DEEP ABRASION RESISTANCE

≤ 140mm<sup>2</sup>

---

### 8. LINEAR THERMAL EXPANSION

= 6.5 (MK)

---

### 9. THERMAL SHOCK RESISTANCE

Conforms

---

### 10. MOISTURE EXPANSION

≤ 0.1 (mm/m)

---

### 12. FROST RESISTANCE

Conforms

---

### 13. CHEMICAL RESISTANCE

Conforms

---

### 14. STAIN RESISTANCE

Conforms

---

### SLIP RESISTANCE (DIN 51130-51097)

Matt R10

---

## MANUFACTURER CERTIFICATIONS:

Declare.



EPD: Available

ISO 14001

ISO 17889-1

For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to BS EN 16165:2021. HSE surface roughness and NCS Colour values are also available upon request. All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2023. 006a.