

4 COLOURS | 2 FINISHES | 4 SIZES | 2 MOSAICS

Iberian

S
O
LUS



Iberian

An Iberian limestone inspired this naturalistic, warm, and subtle surface. Delicate fossil-like inclusions embellish the skilfully balanced tones.



Floor:
2IBR102





IBR-Chalk
2IBR102



IBR-Camel
2IBR103



IBR-Natural
2IBR104



IBR-Grey
2IBR101



SIZES AND FINISHES

				
	300x600 9mm	600x600 9mm	600x1200 9mm	1200x1200 9mm
All colours	● ▲	● ▲	● ▲	●
			● Matt R10	▲ Textured R10 (A+B)

NOTES



9mm Textured R10 (A+B)



Floor:
2IBR102
Wall:
2IBR103M003

MOSAICS



IBR-Chalk Mosaic A
2IBR102M002
300x300x9mm
Matt R10



IBR-Camel Mosaic A
2IBR103M003
300x300x9mm
Matt R10




IBR-Natural Mosaic A
2IBR104M004
300x300x9mm
Matt R10



IBR-Grey Mosaic A
2IBR101M001
300x300x9mm
Matt R10




IBR-Chalk Mosaic B
2IBR102M006
300x300x9mm
Matt Textured R10



IBR-Camel Mosaic B
2IBR103M007
300x300x9mm
Matt Textured R10



IBR-Natural Mosaic B
2IBR104M008
300x300x9mm
Matt Textured R10



IBR-Grey Mosaic B
2IBR101M005
300x300x9mm
Matt Textured R10

APPEARANCE
Limestone


MATERIAL
Porcelain

USAGE
Floors and Walls

SHADE VARIATION
V2 - Light

SPECIAL PIECES
Available in all colours.
For more information contact our sales team.

BATTISCOPA
70x600mm



ISO 10545 RESULTS

2. DIMENSIONS AND SURFACE QUALITY
Conforms

3. WATER ABSORPTION
0.2%

4. FLEXURAL STRENGTH
Conforms

6. DEEP ABRASION RESISTANCE
Conforms

8. LINEAR THERMAL EXPANSION
≤ 7 10⁻⁶ · C⁻¹

9. THERMAL SHOCK RESISTANCE
Conforms

10. MOISTURE EXPANSION
≤ 0,01 % (0,1 mm/m)

12. FROST RESISTANCE
Conforms

13. CHEMICAL RESISTANCE
Conforms

14. STAIN RESISTANCE
Class 5

SLIP RESISTANCE
(DIN 51130-51097)
Matt R10
Textured R10 (A+B)

MANUFACTURER CERTIFICATIONS:

EPD: Available
Declare. ISO 14001
ISO 17889-1

For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to BS EN 16165:2021. HSE surface roughness and NCS Colour values are also available upon request. All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2025. 005.