

Inspiration

6 COLOURS | 3 FINISHES | 8 SIZES | 2 MOSAICS | 1 DECOR



S
O
LUS



Floor:
2CHT104

Inspiration

Reflecting the natural elegance of limestone, Inspiration is a highly evocative series of neutrally toned core products, which sit alongside modular and mosaic options in complementary colours.

S
O
LUS



Solus Plus ranges are responsibly sourced in line with the BES 6001 standard.

For more information, [click here](#)



Inspiration



ABOVE
Floor:
2CHT102

RIGHT
Floor:
2CHT101



ABOVE
Floor:
2CHT106



Apostolic
2CHT101



Stimulate
2CHT102



Incentivise
2CHT103



Creatively
2CHT104



Promethean
2CHT105



Engage
2CHT106

SIZES AND FINISHES

								
	100x300 9mm	300x600 9mm	450x900 9mm	600x600 9mm	600x600 20mm	600x1200 9mm	600x1200 20mm	900x900 9mm
 Apostolic	♥	♥ ▤ △	♥ ▤	♥ ▤ △	△	♥ ▤ △	△	♥ ▤
 Stimulate	♥	♥ ▤ △	♥ ▤	♥ ▤ △		♥ ▤ △		♥ ▤
 Incentivise	♥	♥ ▤ △	♥ ▤	♥ ▤ △		♥ ▤ △		♥ ▤
 Creatively	♥	♥ ▤ △	♥ ▤	♥ ▤ △	△	♥ ▤ △	△	♥ ▤
 Promethean	♥	♥ ▤ △	♥ ▤	♥ ▤ △	△	♥ ▤ △	△	♥ ▤
 Engage	♥	♥ ▤ △	♥ ▤	♥ ▤ △	△	♥ ▤ △	△	♥ ▤

♥ Natural R10 (A+B) ▤ Honed △ Anti Slip R11 (A+B)



DECORS AND MOSAICS



Apostolic Modular*
2CHT101D101
300x600x9mm
600x900x9mm
600x1200x9mm
Natural R10 (A+B)
Honed
Anti Slip R11 (A+B)



Stimulate Modular*
2CHT102D102
300x600x9mm
600x900x9mm
600x1200x9mm
Natural R10 (A+B)
Honed
Anti Slip R11 (A+B)



Incentivise Modular*
2CHT103D103
300x600x9mm
600x900x9mm
600x1200x9mm
Natural R10 (A+B)
Honed
Anti Slip R11 (A+B)



Creatively Modular*
2CHT104D104
300x600x9mm
600x900x9mm
600x1200x9mm
Natural R10 (A+B)
Honed
Anti Slip R11 (A+B)



Promethean Modular*
2CHT105D105
300x600x9mm
600x900x9mm
600x1200x9mm
Natural R10 (A+B)
Honed
Anti Slip R11 (A+B)



Engage Modular*
2CHT106D106
300x600x9mm
600x900x9mm
600x1200x9mm
Natural R10 (A+B)
Honed
Anti Slip R11 (A+B)

NOTES

* Selected modular design consists of three sizes packed in a box.

DECORS AND MOSAICS



Apostolic Mosaic A
2CHT101M101
300x300x9mm (50x50 chips)
Natural R10 (A+B)



Stimulate Mosaic A
2CHT102M102
300x300x9mm (50x50 chips)
Natural R10 (A+B)



Incentivise Mosaic A
2CHT103M103
300x300x9mm (50x50 chips)
Natural R10 (A+B)



Creatively Mosaic A
2CHT104M104
300x300x9mm (50x50 chips)
Natural R10 (A+B)



Promethean Mosaic A
2CHT105M105
300x300x9mm (50x50 chips)
Natural R10 (A+B)



Engage Mosaic A
2CHT106M106
300x300x9mm (50x50 chips)
Natural R10 (A+B)

DECORS AND MOSAICS



Apostolic Mosaic B
2CHT101M201
300x300x9mm (50x150 chips)
Natural R10 (A+B)



Stimulate Mosaic B
2CHT102M202
300x300x9mm (50x150 chips)
Natural R10 (A+B)



Incentivise Mosaic B
2CHT103M203
300x300x9mm (50x150 chips)
Natural R10 (A+B)



Creatively Mosaic B
2CHT104M204
300x300x9mm (50x150 chips)
Natural R10 (A+B)



Promethean Mosaic B
2CHT105M205
300x300x9mm (50x150 chips)
Natural R10 (A+B)



Engage Mosaic B
2CHT106M206
300x300x9mm (50x150 chips)
Natural R10 (A+B)

Inspiration

APPEARANCE
Limestone


MATERIAL
Porcelain

USAGE
Floors and Walls


SHADE VARIATION
V3 - Moderate

SPECIAL PIECES
Available in all colours.
For more information contact our sales team.


BULLNOSE
70x600mm
70x900mm




STEP TREAD
300x600mm
300x1200mm



GRADONE
330x1200mm



ANGOLARE
330x1200mm



ISO 10545 RESULTS

2. DIMENSIONS AND SURFACE QUALITY
Conforms

3. WATER ABSORPTION
< 0.1%

4. FLEXURAL STRENGTH
> 45 N/mm²

6. DEEP ABRASION RESISTANCE
≤ 150 mm³

8. LINEAR THERMAL EXPANSION
6x10⁻⁶/°C

9. THERMAL SHOCK RESISTANCE
Conforms

10. MOISTURE EXPANSION
No rating

12. FROST RESISTANCE
Conforms

13. CHEMICAL RESISTANCE
Conforms

14. STAIN RESISTANCE
Conforms

**SLIP RESISTANCE
(DIN 51130-51097)**
Natural R10 (A+B)
Anti Slip R11 (A+B)

CERTIFICATIONS:



EPD: Available
ISO 14001
SASO-Approved

For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to BS EN 16165:2021. HSE surface roughness and NCS Colour values are also available upon request. All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2026. 007.



Solus Plus ranges are responsibly sourced in line with the BES 6001 standard for the responsible sourcing of construction products.

BIRMINGHAM
Unit 1 Cole River Park
Warwick Road B11 2QX

LONDON
80 Clerkenwell Road
EC1M 5RJ

MANCHESTER
14 Kennedy Street
M2 4BY

[solusceramics.com](https://www.solusceramics.com)
+44 (0)121 753 0777
sales@solusceramics.com

The logo features the word "SOLUS" in a large, white, sans-serif font, stacked vertically. To the right of the "O" is a green circular icon containing a white plus sign (+). The background of the entire page is a photograph of large mounds of brown soil or sand, with a vertical wooden plank standing in the center.

SOLUS

About Solus Plus

Solus Plus is our new mark of assurance for responsibly sourced products. Built on the rigorous standards of BES 6001, it highlights collections produced by factories that demonstrate industry-leading sustainability across their entire supply chain, from raw material extraction to final delivery.

When specified through Solus, these products can contribute valuable credits toward BREEAM, LEED and WELL certification, helping you meet your environmental targets without compromising on quality or design. Look for the Solus Plus symbol to specify with confidence.

[Visit our website to learn more.](#)

[Back to top](#)