

Interiors

40 COLOURS | 2 FINISHES | 4 SIZES



S
LUS

Wall:
5QUT068

Interiors


Interiors is an extensive range of fifty glazed tiles spanning a comprehensive selection of the colour spectrum. Tiles from this range are available in both gloss and matt finishes and three versatile sizes.




Wall:
5QUT030



Snowflake
5QUT030



Drip
5QUT032



Silber
5QUT033



Plata
5QUT034



Gandalf
5QUT089



Theon
5QUT090



Flower
5QUT058




Lila
5QUT059




Swale
5QUT062



Pontoon
5QUT063



Trent
5QUT068



Danube
5QUT064



Borage
5QUT091



Amazon
5QUT069



Whetstone
5QUT036



Shannon
5QUT075



Liquid
5QUT067




Kirk
5QUT076




Tree
5QUT073



Arugula
5QUT093



Tang
5QUT092



Cilantro
5QUT094



Gray
5QUT095



Talpa
5QUT096



Tepid
5QUT098



Henna
5QUT097



Mollusk
5QUT099




Pearl
5QUT046



Elfin
5QUT038



Shady
5QUT043



Palo
5QUT048



Straw
5QUT044



Clementine
5QUT040



Cadiz
5QUT077



Brassica
5QUT101



Cocta
5QUT102



Tararca
5QUT083



Port
5QUT055



Mahogany
5QUT051







Panther
5QUT079



Wall:
5QUT077

SIZES AND FINISHES

	 100x300 7.5mm	 150x150 6mm	 200x200 7.5mm	 200x400 7.5mm
All colours	● ◆	● ◆	● ◆	● ◆
				● Matt ◆ Gloss

Interiors

APPEARANCE

Mono Colour

MATERIAL

Ceramic

USAGE

Walls only

SHADE VARIATION

V1 - Uniform

SPECIAL PIECES

Available in all colours.

For more information contact our sales team.

AECX

35x35mm



AICV

35x35mm



CX

150x35mm

200x35mm



CV

150x35mm

200x35mm



ISO 10545 RESULTS

2. DIMENSIONS AND SURFACE QUALITY

Conforms

3. WATER ABSORPTION

$18\% \leq E \leq 20\%$

4. FLEXURAL STRENGTH

$> 13 \text{ N/mm}^2$

6. DEEP ABRASION RESISTANCE

No rating

8. LINEAR THERMAL EXPANSION

No rating

9. THERMAL SHOCK RESISTANCE

Conforms

10. MOISTURE EXPANSION

No rating

12. FROST RESISTANCE

No rating

13. CHEMICAL RESISTANCE

Conforms

14. STAIN RESISTANCE

Class 5

MANUFACTURER CERTIFICATIONS:



ISO 14001

For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to BS EN 16165:2021. HSE surface roughness and NCS Colour values are also available upon request. All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2023. 009a.