

Inventive

4 COLOURS | 2 FINISHES | 7 SIZES | 2 MOSAICS



SO
LUS

Floor:
2KCT101
Seat:
2KCT104
Table:
2KCT104

Inventive

A blissful union between the industrial appearance of cement and the natural elegance of stone, Inventive is a highly sophisticated range, perfectly suited for both internal and external environments.




Floor:
2KCT103

Inventive



ABOVE
Floor:
2KCT104

RIGHT
Floor:
2KCT104





Imagination
2KCT104

Innovatory
2KCT103



Interpreted
2KCT102

Inspiring
2KCT101

SIZES AND FINISHES

	300x600 8mm	600x600 8mm	600x600 20mm	600x1200 8mm	600x1200 20mm	1000x1000 6mm	1000x1000 20mm
All colours	♥	♥	●	♥	●	♥	●

♥ Natural R10 (A+B) ● Anti Slip R11 (A+B+C)

MOSAICS




Imagination Mosaic

2KCT104M104

300x300x8mm (4.7x4.7mm chips)

Natural R10 (A+B)




Interpreted Mosaic

2KCT102M102

300x300x8mm (4.7x4.7mm chips)

Natural R10 (A+B)




Innovatory Mosaic

2KCT103M103

300x300x8mm (4.7x4.7mm chips)

Natural R10 (A+B)




Inspiring Mosaic

2KCT101M101

300x300x8mm (4.7x4.7mm chips)

Natural R10 (A+B)



Imagination Mosaic B

2KCT104M204

300x300x8mm (3.1x3.1 chips)

Natural R10 (A+B)




Innovatory Mosaic B

2KCT103M203

300x300x8mm (3.1x3.1 chips)

Natural R10 (A+B)




Interpreted Mosaic B

2KCT102M202

300x300x8mm (3.1x3.1 chips)

Natural R10 (A+B)



Inspiring Mosaic B

2KCT101M201

300x300x8mm (3.1x3.1 chips)

Natural R10 (A+B)

APPEARANCE

Concrete

MATERIAL

Porcelain - Full Body

USAGE

Floors and Walls

SHADE VARIATION

V3 - Moderate

SPECIAL PIECES


Available in all colours.

For more information contact our sales team.

BULLNOSE PLINTH

65x1000x6.5mm

70x600x8mm




STEP TREAD

300x600x8mm

300x1000x8mm

300x1200x8mm



ISO 10545 RESULTS

2. DIMENSIONS AND SURFACE QUALITY

Conforms

3. WATER ABSORPTION

$\leq 0.5\%$

4. FLEXURAL STRENGTH

$> 48 \text{ N/mm}^2$

6. DEEP ABRASION RESISTANCE

140 mm³

8. LINEAR THERMAL EXPANSION

7 MK⁻¹

9. THERMAL SHOCK RESISTANCE

Conforms

10. MOISTURE EXPANSION

No rating

12. FROST RESISTANCE

Conforms

13. CHEMICAL RESISTANCE

Conforms

14. STAIN RESISTANCE

Class 5

SLIP RESISTANCE (DIN 51130-51097)

Natural R10 (A+B)
Anti Slip R11 (A+B+C)

MANUFACTURER CERTIFICATIONS:



EPD: Available

ISO 14001

For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to BS EN 16165:2021. HSE surface roughness and NCS Colour values are also available upon request. All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2024. 004.