

# Kiln

6 COLOURS | 1 FINISH | 1 SIZE | 1 DECOR



S  
O  
S  
L  
U  
S

Bar:  
2KLN106  
Wall:  
2KLN103  
2KLN103D001

# Kiln

Winner of Archello's Wall Finish of the Year, Kiln draws on the character of small-format, kiln-fired ceramics, with subtle variation and surface depth that feels crafted. The result is a richly tactile tile that adds warmth and rhythm to walls and floors alike.



Wall:  
2KLN105  
2KLN105D001



ABOVE  
Wall:  
2KLN101

RIGHT  
Wall:  
2KLN101  
2KLN103  
2KLN103D001



ABOVE  
Wall:  
2KLN104  
2KLN104D001



KLN-White  
2KLN101



KLN-Bone  
2KLN102



KLN-Mocha  
2KLN103



KLN-Green  
2KLN104



KLN-Cotto  
2KLN105



KLN-Black  
2KLN106

## DECORS



KLN-White Decor  
2KLN101D001



KLN-Bone Decor  
2KLN102D001



KLN-Mocha Decor  
2KLN103D001



KLN-Green Decor  
2KLN104D001



KLN-Cotto Decor  
2KLN105D001



KLN-Black Decor  
2KLN106D001

## APPEARANCE

Terracotta

## MATERIAL

Porcelain

## USAGE

Floors and Walls

## SHADE VARIATION

V3 - Moderate

## SIZES AND FINISHES

60x240  
8.5mm

All colours

● Matt R9 (A)

## NOTES

To avoid lippage we recommend the use of self-levelling spacers

## ISO 10545 RESULTS

### 2. DIMENSIONS AND SURFACE QUALITY

Conforms

### 3. WATER ABSORPTION

< 0.5%

### 4. FLEXURAL STRENGTH

> 40 N/mm<sup>2</sup>

### 6. DEEP ABRASION RESISTANCE

No rating

### 8. LINEAR THERMAL EXPANSION

< 7 (MK) -1

### 9. THERMAL SHOCK RESISTANCE

Conforms

### 10. MOISTURE EXPANSION

No rating

### 12. FROST RESISTANCE

Conforms

### 13. CHEMICAL RESISTANCE

Conforms

### 14. STAIN RESISTANCE

Class 5

### SLIP RESISTANCE (DIN 51130-51097)

Matt R9 (A)

## MANUFACTURER CERTIFICATIONS:

**Declare.** EPD: Available  
ISO 14001  
ISO 17889-1  
SASO-Approved

For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to BS EN 16165:2021. HSE surface roughness and NCS Colour values are also available upon request. All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2026. 001.