

Lake District

5 COLOURS | 5 FINISHES | 8 SIZES | 2 MOSAIC



S
O
L
U
S

Floor:
2LKD104
Wall:
2LKD104

Lake District

Inspired by the interaction of water and stone this collection of porcelain limestone is dynamically patterned calling to mind the look of river stone. The significant graphic and chromatic transitions between are united by harmonious colour shading.



Floor:
2LKD103

Lake District



ABOVE

Floor:
2LKD103

Wall:
2LKD103
2LKD103M008

RIGHT

Floor:
2LKD102



ABOVE

Floor:
2LKD102



LKD-Ice
2LKD101



LKD-Pale
2LKD104



LKD-Ash
2LKD102



LKD-Dark
2LKD105



LKD-Coal
2LKD103



MOSAICS



LKD-Ice Mosaic A
2LKD101M001
260x325x9mm
Polished



LKD-Pale Mosaic A
2LKD104M004
260x325x9mm
Polished



LKD-Ash Mosaic A
2LKD102M002
260x325x9mm
Polished



LKD-Dark Mosaic A
2LKD105M005
260x325x9mm
Polished



LKD-Coal Mosaic A
2LKD103M003
260x325x9mm
Polished



LKD-Ice Mosaic B
2LKD101M006
282x586x9mm
Textured



LKD-Pale Mosaic B
2LKD104M009
282x586x9mm
Textured



LKD-Ash Mosaic B
2LKD102M007
282x586x9mm
Textured



LKD-Dark Mosaic B
2LKD105M010
282x586x9mm
Textured



LKD-Coal Mosaic B
2LKD103M008
282x586x9mm
Textured



Floor:
2LKD105M005

SIZES AND FINISHES

| | 300x600 9mm | 400x800 9mm | 600x600 9mm | 600x1200 9mm | 800x800 9mm | 900x900 20mm | 1200x1200 9mm | 1200x2780 6mm |
|----------|----------------|----------------|----------------|-----------------|----------------|-----------------|------------------|------------------|
| LKD-Ice | ● | ●■♥ | ● | ●■♥▲ | ●■♥ | △ | ●■♥▲ | ● |
| LKD-Pale | ● | ●■♥ | ● | ●■♥▲ | ●■♥ | | ●■♥▲ | ● |
| LKD-Ash | ● | ●■♥ | ● | ●■♥▲ | ●■♥ | △ | ●■♥▲ | ● |
| LKD-Dark | ● | ●■♥ | ● | ●■♥▲ | ●■♥ | | ●■♥▲ | |
| LKD-Coal | ● | ●■♥ | ● | ●■♥▲ | ●■♥ | △ | ●■♥▲ | |

●

 Matt R10 (A+B)

■

 Polished

♥

 Natural

▲

 Textured R11 (A+B)

△

 Anti Slip R11 (A+B+C)

APPEARANCE
Limestone

MATERIAL
Porcelain

USAGE
Floors and Walls

SPECIAL PIECES
Available in all colours.
For more information contact our sales team.

BATTISCOPA
70x800mm
70x1200mm



ISO 10545 RESULTS

2. DIMENSIONS AND SURFACE QUALITY
Conforms

3. WATER ABSORPTION
0.2%

4. FLEXURAL STRENGTH
Conforms

6. DEEP ABRASION RESISTANCE
Conforms

8. LINEAR THERMAL EXPANSION
 $\leq 7 \cdot 10^{-6} \cdot C^{-1}$

9. THERMAL SHOCK RESISTANCE
Conforms

10. MOISTURE EXPANSION
 $\leq 0.02 \text{ \% } (0.2\text{mm/m})$

12. FROST RESISTANCE
Conforms

13. CHEMICAL RESISTANCE
Conforms but not valid for
Gloss finish

14. STAIN RESISTANCE
Conforms

**SLIP RESISTANCE
(DIN 51130-51097)**
Matt R10
Textured R11 (A+B)
Anti Slip R11 (A+B+C)

MANUFACTURER CERTIFICATIONS:

Declare. EPD: Available
ISO 14001
ISO 17889-1

For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to BS EN 16165:2021. HSE surface roughness and NCS Colour values are also available upon request. All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2025. 005.