

Lake District

5 COLOURS | 3 FINISHES | 5 SIZES | 2 MOSAIC



LOS
LUS



Floor:
2LKD104
Wall:
2LKD104

Lake District

Inspired by the interaction of water and stone this collection of porcelain limestone is dynamically patterned calling to mind the look of river stone. The significant graphic and chromatic transitions between are united by harmonious colour shading.



S
O
LUS



Solus Plus ranges are responsibly sourced in line with the BES 6001 standard.

For more information, [click here](#)

Floor:
2LKD103

Lake District



ABOVE

Floor:
2LKD103

Wall:
2LKD103
2LKD103M008

RIGHT

Floor:
2LKD102



ABOVE

Floor:
2LKD102



LKD-Ice
2LKD101



LKD-Pale
2LKD104



LKD-Ash
2LKD102



LKD-Dark
2LKD105



LKD-Coal
2LKD103



Wall:
2LKD101M001

MOSAICS



LKD-Ice Mosaic A
2LKD101M001
260x325x9mm
Polished



LKD-Pale Mosaic A
2LKD104M004
260x325x9mm
Polished



LKD-Ash Mosaic A
2LKD102M002
260x325x9mm
Polished



LKD-Dark Mosaic A
2LKD105M005
260x325x9mm
Polished



LKD-Coal Mosaic A
2LKD103M003
260x325x9mm
Polished



LKD-Ice Mosaic B
2LKD101M006
282x586x9mm
Textured




LKD-Pale Mosaic B
2LKD104M009
282x586x9mm
Textured



LKD-Ash Mosaic B
2LKD102M007
282x586x9mm
Textured



LKD-Dark Mosaic B
2LKD105M010
282x586x9mm
Textured













LKD-Coal Mosaic B
2LKD103M008
282x586x9mm
Textured



Floor:
2LKD105M005

SIZES AND FINISHES

	 300x600 9mm	 600x600 9mm	 600x1200 9mm	 800x800 9mm	 1200x1200 9mm
 LKD-Ice	●	●	● ■ ▲	●	● ■ ▲
 LKD-Pale	●	●	● ■ ▲	●	● ■ ▲
 LKD-Ash	●	●	● ■ ▲	●	● ■ ▲
 LKD-Dark	●	●	● ■ ▲	●	● ■ ▲
 LKD-Coal	●	●	● ■ ▲	●	● ■ ▲

● Matt R10 (A+B) ■ Polished ▲ Textured R11 (A+B)

Lake District

APPEARANCE

Limestone

MATERIAL

Porcelain

USAGE

Floors and Walls

SHADE VARIATION

V3 - Moderate

SPECIAL PIECES


Available in all colours.

For more information contact our sales team.

BATTISCOPIA

70x800mm

70x1200mm



ISO 10545 RESULTS

2. DIMENSIONS AND SURFACE QUALITY

Conforms

3. WATER ABSORPTION

0.2%

4. FLEXURAL STRENGTH

Conforms

6. DEEP ABRASION RESISTANCE

Conforms

8. LINEAR THERMAL EXPANSION

$\leq 7 \cdot 10^{-6} \cdot C^{-1}$

9. THERMAL SHOCK RESISTANCE

Conforms

10. MOISTURE EXPANSION

$\leq 0.02 \%$ (0.2mm/m)

12. FROST RESISTANCE

Conforms

13. CHEMICAL RESISTANCE

Conforms but not valid for
Gloss finish

14. STAIN RESISTANCE

Conforms

SLIP RESISTANCE (DIN 51130-51097)

Matt R10 (A+B)

Textured R11 (A+B)

CERTIFICATIONS:

Declare.



EPD: Available
ISO 14001
ISO 17889-1
SASO-Approved

For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to BS EN 16165:2021. HSE surface roughness and NCS Colour values are also available upon request. All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2026. 007.



Solus Plus ranges are responsibly sourced in line with the BES 6001 standard for the responsible sourcing of construction products.

BIRMINGHAM
Unit 1 Cole River Park
Warwick Road B11 2QX

LONDON
80 Clerkenwell Road
EC1M 5RJ

MANCHESTER
14 Kennedy Street
M2 4BY

solusceramics.com
+44 (0)121 753 0777
sales@solusceramics.com

The logo for Solus Plus is displayed in large, white, sans-serif capital letters. The word 'SOLUS' is stacked vertically, with 'S' on top, 'O' in the middle, and 'LUS' at the bottom. To the right of the 'O' is a green circular icon containing a white plus sign (+). The background of the entire page is a photograph of large mounds of brown sand or gravel in an industrial setting, with a vertical metal beam in the center.

S
O
LUS

About Solus Plus

Solus Plus is our new mark of assurance for responsibly sourced products. Built on the rigorous standards of BES 6001, it highlights collections produced by factories that demonstrate industry-leading sustainability across their entire supply chain, from raw material extraction to final delivery.

When specified through Solus, these products can contribute valuable credits toward BREEAM, LEED and WELL certification, helping you meet your environmental targets without compromising on quality or design. Look for the Solus Plus symbol to specify with confidence.

[Visit our website to learn more.](#)

[Back to top](#)