

# Landscape

7 COLOURS | 2 FINISHES | 9 SIZES | 2 MOSAICS | 1 DECOR



S  
+  
LUS

Floor:  
3TRP507  
Wall:  
3TRP507

# Landscape

Landscape is inspired by the rarest and most precious natural stone, faithfully reproducing its surfaces, veining and colours.



S  
LUS

Solus Plus ranges are responsibly sourced in line with the BES 6001 standard.

For more information, [click here](#)

Floor:  
3TRP512

# Landscape



Floor:  
3TRP510



Ousley  
3TRP507



Rincon  
3TRP508



Marvin  
3TRP506



Noorwood  
3TRP505



Crenshaw  
3TRP512



Elmor  
3TRP511



















Wasilla  
3TRP510



Floor:  
3TRP505

## SIZES AND FINISHES

	 300x300 9mm	 300x600 9mm	 300x600 10mm	 450x450 9mm	 450x450 10mm	 450x900 9mm	 450x900 10mm	 450x900 20mm	 600x600 9mm
 Ousley	● △	● △		● △	● △	● △	● △	△	● △
 Rincon	● △	● △		● △	● △	● △	● △	△	● △
 Marven	● △	● △		● △	● △	● △	● △		● △
 Noorwood	● △	● △	●	● △	● △	● △		△	● △
 Crenshaw	● △	● △		● △	● △	● △	● △		● △
 Elmor	● △	● △		● △	● △	● △	● △	△	● △
 Wasilla	● △	● △		● △	● △	● △	● △	△	● △

● Natural R10 (A+B)\*    △ Anti Slip R12 (A+B+C)

## MOSAICS AND DECORS




Mosaic A

All colours

300x300x9mm (60x60 chips)

Natural R10 (A+B)  
Anti Slip R12 (A+B+C)\*\*



Mosaic B

All colours

300x300x9mm (60x60 chips)

Natural R10 (A+B)  
Anti Slip R12 (A+B+C)\*\*



Decor

All colours

300x600x9mm

Natural R10 (A+B)  
Anti Slip R12 (A+B+C)\*\*

## NOTES

\* Not suitable for use for pool decks and/or changing rooms.

\*\* Only available on request.

# Landscape

**APPEARANCE**  
Slate

**MATERIAL**  
Porcelain

**USAGE**  
Floors and Walls

**SHADE VARIATION**  
V4 - Heavy

## SPECIAL PIECES

More special pieces available on request.  
For more information contact our sales team.


### BATTISCOPIA

90X450mm  
90X600mm




### TERMINALE

150x300x35mm




### STEP TREAD

300x600mm  
450x450mm




### GRADONE (ASSEMBLATO)

330x600mm



### ANGOLARE (ASSEMBLATO)

330x600mm



## ISO 10545 RESULTS

### 2. DIMENSIONS AND SURFACE QUALITY

Conforms

### 3. WATER ABSORPTION

$\leq 0.1\%$

### 4. FLEXURAL STRENGTH

50-60 N/mm<sup>2</sup>

### 6. DEEP ABRASION RESISTANCE

No rating

### 8. LINEAR THERMAL EXPANSION

$6.6 \times 10^{-6} \text{ } ^\circ\text{C}$

### 9. THERMAL SHOCK RESISTANCE

No rating

### 10. MOISTURE EXPANSION

No rating

### 12. FROST RESISTANCE

Conforms

### 13. CHEMICAL RESISTANCE

Conforms

### 14. STAIN RESISTANCE

Conforms

### SLIP RESISTANCE (DIN 51130-51097)


Natural R10 (A+B)  
Anti Slip R12 (A+B+C)

## CERTIFICATIONS:



EPD: Available  
ISO 14001  
SASO-Approved

For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to BS EN 16165:2021. HSE surface roughness and NCS Colour values are also available upon request. All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2025. 0011.



Solus Plus ranges are responsibly sourced in line with the BES 6001 standard for the responsible sourcing of construction products.

**BIRMINGHAM**  
Unit 1 Cole River Park  
Warwick Road B11 2QX

**LONDON**  
80 Clerkenwell Road  
EC1M 5RJ

**MANCHESTER**  
14 Kennedy Street  
M2 4BY

[solusceramics.com](http://solusceramics.com)  
+44 (0)121 753 0777  
[sales@solusceramics.com](mailto:sales@solusceramics.com)

The logo consists of the word "SOLUS" in a large, white, sans-serif font, stacked vertically. To the right of the word, there is a green circular icon containing a white plus sign (+). The background of the entire page is a photograph of large mounds of sand or gravel in an industrial setting, with a vertical metal beam in the center.

SOLUS 

## About Solus Plus

Solus Plus is our new mark of assurance for responsibly sourced products. Built on the rigorous standards of BES 6001, it highlights collections produced by factories that demonstrate industry-leading sustainability across their entire supply chain, from raw material extraction to final delivery.

When specified through Solus, these products can contribute valuable credits toward BREEAM, LEED and WELL certification, helping you meet your environmental targets without compromising on quality or design. Look for the Solus Plus symbol to specify with confidence.

[Visit our website to learn more.](#)

[Back to top](#)