

Landscape

7 COLOURS | 2 FINISHES | 6 SIZES | 2 MOSAICS | 1 DECOR



S
O
L
U
S

Floor:
3TRP507
Wall:
3TRP507


Landscape

Landscape is inspired by the rarest and most precious natural stone, faithfully reproducing its surfaces, veining and colours.



Floor:
3TRP512





Ousley
3TRP507



Rincon
3TRP508



Marven
3TRP506



Noorwood
3TRP505



Crenshaw
3TRP512



Elmor
3TRP511









Wasilla
3TRP510



Floor:
3TRP505

SIZES AND FINISHES

						
	300x300 9mm	300x600 9mm	450x450 9mm	450x900 9mm	450x900 20mm*	600x600 9mm
All colours	● △	● △	● △	● △	△	● △
	● Matt R10 △ Anti Slip R11 (A+B+C)					

MOSAICS AND DECORS




Mosaic A

300x300x9mm (60x60 chips)

Matt R10, Anti Slip R11 (A+B+C)**

Available in all colours



Mosaic B

300x300x9mm (30x30 chips)

Matt R10, Anti Slip R11 (A+B+C)**

Available in all colours



Decor A

300x600x9mm

Matt R10, Anti Slip R11 (A+B+C)**

Available in all colours

NOTES

* Available in Elmor, Wasilla, Ousley, Rincon and Noorwood.

** Only available on request.

Landscape

APPEARANCE
Slate

MATERIAL
Porcelain

USAGE
Floors and Walls

SHADE VARIATION
V4 - Heavy

SPECIAL PIECES

More special pieces available on request.
For more information contact our sales team.


BATTISCOPIA

90X450mm
90X600mm




TERMINALE

150x300x35mm




STEP TREAD

300x600mm
450x450mm




GRADONE (ASSEMBLATO)

330x600mm



ANGOLARE (ASSEMBLATO)

330x600mm



ISO 10545 RESULTS

2. DIMENSIONS AND SURFACE QUALITY
Conforms

3. WATER ABSORPTION
 $\leq 0.1\%$

4. FLEXURAL STRENGTH
50-60 N/mm²

6. DEEP ABRASION RESISTANCE
No rating

8. LINEAR THERMAL EXPANSION
 $6.6 \times 10^{-6} \text{ } ^\circ\text{C}$

9. THERMAL SHOCK RESISTANCE
No rating

10. MOISTURE EXPANSION
No rating

12. FROST RESISTANCE
Conforms

13. CHEMICAL RESISTANCE
Conforms

14. STAIN RESISTANCE
Conforms

**SLIP RESISTANCE
(DIN 51130-51097)**
Matt R10
Anti Slip R11 (A+B+C)

MANUFACTURER CERTIFICATIONS:



EPD: Available
ISO 14001

For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to BS EN 16165:2021. HSE surface roughness and NCS Colour values are also available upon request. All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2024. 009.



> 30%
Pre-consumer