

Lazuli

9 COLOURS | 1 FINISH | 2 SIZES



S
O
L
U
S

Wall:
5LAZ104

Compact and expressive, this small-format white-body wall tile offers vibrant colour and handmade character. Shade variation makes it perfect for pattern and rhythm.




Wall:
5LAZ109



ABOVE
Wall:
5LAZ106

RIGHT
Wall:
5LAZ108



ABOVE
Wall:
5LAZ101


100X100X8MM GLOSS




LAZ-White
5LAZ109




LAZ-Honey
5LAZ105




LAZ-Rust
5LAZ106




LAZ-Lava
5LAZ108




LAZ-Aqua
5LAZ102




LAZ-Fern
5LAZ104



LAZ-Green
5LAZ107



LAZ-Blue
5LAZ101



LAZ-Black
5LAZ103


65X328X8MM GLOSS



LAZ-White
5LAZ109




LAZ-Honey
5LAZ105




LAZ-Rust
5LAZ106




LAZ-Lava
5LAZ108




LAZ-Aqua
5LAZ102




LAZ-Fern
5LAZ104



LAZ-Green
5LAZ107



LAZ-Blue
5LAZ101



LAZ-Black
5LAZ103

APPEARANCE

Mono Colour

MATERIAL

Ceramic

USAGE

Walls only

SHADE VARIATION

V4 - Heavy

SPECIAL PIECES

For more information contact our sales team.

JOLLY

12x200mm



ISO 10545 RESULTS

2. DIMENSIONS AND SURFACE QUALITY

Conforms

3. WATER ABSORPTION

> 10%

4. FLEXURAL STRENGTH

No rating

6. DEEP ABRASION RESISTANCE

No rating

8. LINEAR THERMAL EXPANSION

No rating

9. THERMAL SHOCK RESISTANCE

No rating

10. MOISTURE EXPANSION

No rating

12. FROST RESISTANCE

No rating

13. CHEMICAL RESISTANCE

No rating

14. STAIN RESISTANCE

Class 5

MANUFACTURER CERTIFICATIONS:

EPD: Available

For LEED, BREEAM and WELL information, please ask for details. NCS Colour values are available upon request.
All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE.
© Solus Ceramics Limited 2025. 001.