

# LoopPetra


9 COLOURS | 3 FINISHES | 3 SIZES | 4 MOSAICS | 5 DECORS



S  
LUS



Floor:  
2LPT109



## Made with 60% pre-consumer and 3% post-consumer recycled content.

Solus proudly introduces the groundbreaking LoopPetra collection, boasting an impressive 60% pre-consumer, and 3% post-consumer recycled content. In a market where “40% recycled” often masks internal factory waste, our partner takes a truly innovative approach.

While many manufacturers recycle their own production scraps, our partner has achieved near-zero waste in their own process. To reach 60% pre-consumer and 3% post-consumer recycled content, they actively source waste from other local tile factories, transforming regional waste into beautiful, high-performance tiles. This demonstrates a genuine commitment to sustainability, not just internal efficiency.


# Experience the beauty of responsible design.

LoopPetra doesn't compromise on aesthetics. Featuring a realistic stone effect, the collection offers a sophisticated palette of natural colours, along with a wide range of formats and decorative options. Technical performance is excellent with PTV 36+ for the Natural R10 (A+B) finish. Experience the beauty of responsible design.



Solus Plus ranges are responsibly sourced in line with the BES 6001 standard.

For more information, [click here](#)



# LoopPetra



ABOVE  
Floor:  
2LPT105

RIGHT  
Wall:  
2LPT105D001



ABOVE  
Floor:  
2LPT107



Floor:  
2LPT106  
Wall:  
2LPT108D004



LPT-Cream  
2LPT102



LPT-Sand  
2LPT104



LPT-Bone  
2LPT105



LPT-Ivory  
2LPT108



LPT-Smoke  
2LPT106



LPT-Coal  
2LPT101



LPT-Ash  
2LPT103



LPT-Grey  
2LPT109



LPT-Night  
2LPT107

## SIZES AND FINISHES

	100x600 8mm	200x200 8mm	300x600 8mm	600x600 8mm	600x600 20mm	600x1200 8mm	600x1200 20mm	800x800 8mm	800x800 20mm	1200x1200 9mm	1200x2780 6mm	1620x3240 12mm
LPT-Cream		♥	♥ △	♥		♥ △		♥		♥	♥	
LPT-Sand			♥ ♦	♥ ♦	△	♥ △	△	♥	△	♥	♥	
LPT-Bone			♥	♥ △	△	♥ △	△	♥	△	♥ △	♥	
LPT-Ivory			♥	♥ △		♥ △		♥		♥ △	♥	
LPT-Smoke			♥	♥ △	△	♥ △	△	♥	△	♥	♥	♥
LPT-Coal	♥ ●	♥	♥	♥ ● △	△							
LPT-Ash			♥ ♦	♥ ♦ △	△	♥ △	△	♥	△	♥	♥	
LPT-Grey			♥ ♦	♥ ♦ △	△	♥ △	△	♥	△	♥	♥	♥
LPT-Night			♥ ♦	♥ ♦		♥ △	△	♥		♥		

♥ Matt Textured R9   ● Honed   ♦ Natural R10 (A+B)   △ Anti Slip R11 (A+B+C)

## NOTES


To avoid lippage we recommend the use of self-levelling spacers




Floor:  
2LPT105  
Wall:  
2LPT105M003



Mosaic A  
48x48mm chips  
(300x300x8mm sheet)  
Matt Textured R9  
Available in all colours




Mosaic B  
23x48x148mm chips  
(300x300x8mm sheet)  
Matt Textured R9  
Available in all colours



Mosaic C  
58x148mm chips  
(300x300x8mm sheet)  
Matt Textured R9  
Available in all colours



Mosaic D  
63x191/95x191/143x191mm chips  
(380x400x8mm sheet)  
Matt Textured R9  
Available in all colours



Decor A  
Available in all colours  
600x1200x8mm  
Textured

Decor B  
Available in all colours  
600x1200x8mm  
Textured

Decor C  
Available in all colours  
600x1200x8mm  
Textured





LPT-Ivory Decor D  
2LPT108D004  
57x297x8mm  
Matt Textured R9

LPT-Grey Decor D  
2LPT109D004  
57x297x8mm  
Matt Textured R9

LPT-Coal Decor D  
2LPT101D004  
57x297x8mm  
Matt Textured R9



Decor E  
Available in colours:  
LPT-Bone  
LPT-Ivory  
LPT-Smoke  
175x1200x8mm  
Matt Textured R9



**APPEARANCE**  
Stone


**MATERIAL**  
Porcelain

**USAGE**  
Floors and Walls


**SHADE VARIATION**  
V2 - Light  
V3 - Moderate

**SPECIAL PIECES**  
For more information contact our sales team.


**BATTISCOPIA**  
72x600mm  
72x800mm




**GRADINO A**  
300x600mm  
330x800mm  
330x1200mm




**GRADINO B**  
300x600mm  
330x800mm  
330x1200mm



**GR. ANG. B**  
330x330mm



**GRADINO G**  
300x600mm  
330x800mm



**ISO 10545 RESULTS**

**2. DIMENSIONS AND SURFACE QUALITY**  
Conforms

**3. WATER ABSORPTION**  
< 0.1%

**4. FLEXURAL STRENGTH**  
> 45-48 N/mm<sup>2</sup>

**6. DEEP ABRASION RESISTANCE**  
< 150 mm<sup>3</sup>

**8. LINEAR THERMAL EXPANSION**  
6.6 x10<sup>-6</sup> °C

**9. THERMAL SHOCK RESISTANCE**  
Conforms

**10. MOISTURE EXPANSION**  
No rating

**12. FROST RESISTANCE**  
Conforms

**13. CHEMICAL RESISTANCE**  
Conforms

**14. STAIN RESISTANCE**  
Class 5

**SLIP RESISTANCE  
(DIN 51130-51097)**  
Matt Textured R9  
Natural R10 (A+B)  
Anti Slip R11 (A+B+C)

**CERTIFICATIONS:**



ecovadis

EPD: Available  
ISO 14001  
ISO 17889-1  
SASO-Approved

For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to BS EN 16165:2021. HSE surface roughness and NCS Colour values are also available upon request. All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2026. 001.

60% Pre-consumer

3% Post-consumer

The logo consists of the word "SOLUS" in a large, white, sans-serif font, stacked vertically. To the right of the "O" is a green circular icon containing a white plus sign (+).

S  
O  
LUS

## About Solus Plus

Solus Plus is our new mark of assurance for responsibly sourced products. Built on the rigorous standards of BES 6001, it highlights collections produced by factories that demonstrate industry-leading sustainability across their entire supply chain, from raw material extraction to final delivery.

When specified through Solus, these products can contribute valuable credits toward BREEAM, LEED and WELL certification, helping you meet your environmental targets without compromising on quality or design. Look for the Solus Plus symbol to specify with confidence.

[Visit our website to learn more.](#)

[Back to top](#)