

Lutose

5 COLOURS | 3 FINISHES | 10 SIZES | 2 MOSAICS | 4 DECORS



SOS
LUS

Floor:
2LUM105
Wall:
2LUM105M002
2LUM103

Lutose

Inspired by limestone rock, Lutose faithfully reproduces clastic grain textures and fossil micro-inclusions, delivering a realistic and material stone effect. The five colour options, in warm, neutral and enveloping tones, further express the naturalistic aesthetic.



Floor:
2LUM104



ABOVE
Floor:
2LUM103
Wall:
2LUM102

RIGHT
Floor:
2LUM104
Wall:
2LUM106D001



ABOVE
Wall:
2LUM106D001



LUM-Bone
2LUM103



LUM-Beige
2LUM102



LUM-Toffee
2LUM101




LUM-Ash
2LUM104



LUM-Grey
2LUM105

SIZES AND FINISHES



MOSAICS AND DECORS



Decor A
Available in all colours
600x1200x9mm
Natural R10 (A+B)



Decor B
2LUM106D001
600x1200x9mm
Honed Polished



Decor C
2LUM107D001
600x1200x9mm
Honed Polished



Decor D
Available in colours:
LUM-Beige
LUM-Ash
1200x2780x6mm
Textured



Floor:
2LUM105
Wall:
2LUM105M002



Mosaic A
Available in all colours
48x48mm chips (300x300x9mm
sheet)
Natural R10 (A+B)



Mosaic B
Available in all colours
48x298mm chips (300x300x9mm
sheet)
Honed Polished

NOTES

To avoid lippage we recommend the use
of self-levelling spacers

APPEARANCE

Limestone

MATERIAL

Porcelain

USAGE

Floors and Walls

SHADE VARIATION

V2 - Light

SPECIAL PIECES

For more information contact our sales team.

ISO 10545 RESULTS

2. DIMENSIONS AND SURFACE QUALITY

Conforms

3. WATER ABSORPTION

≤ 0.05%

4. FLEXURAL STRENGTH

50 N/mm²

6. DEEP ABRASION RESISTANCE

< 145 mm³

8. LINEAR THERMAL EXPANSION

7.0 ×10⁻⁶ °C

9. THERMAL SHOCK RESISTANCE

No rating

10. MOISTURE EXPANSION

No rating

12. FROST RESISTANCE

Conforms

13. CHEMICAL RESISTANCE

Conforms

14. STAIN RESISTANCE

Class 5

SLIP RESISTANCE
(DIN 51130-51097)

Natural R10 (A+B)
Anti Slip R11 (A+B+C)

MANUFACTURER CERTIFICATIONS:



EPD: Available
ISO 14001
ISO 17889-1
SASO-Approved

For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to BS EN 16165:2021. HSE surface roughness and NCS Colour values are also available upon request. All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2026. 002.

BIRMINGHAM

Unit 1 Cole River Park
Warwick Road B11 2QX

LONDON

80 Clerkenwell Road
EC1M 5RJ

MANCHESTER

14 Kennedy Street
M2 4BY

solusceramics.com
+44 (0)121 753 0777
sales@solusceramics.com