

Marbalite 1




Marbalite 1

An exploration of sixteen different types of marble stone, Marbalite 1 offers user the authenticity of the natural material in the form of porcelain.













Marilee 3MLB123

Damaris 3MLB121

Zana 3MLB112



SIZES AND FINISHES

	600×600 8mm	600×1200 8mm	1200x1200 8mm
Bronson			
Wyatt			
Vivian			
Althaia			
Kinlough			
Roxane			
Allegra			
Zana			
Aegeus			
🕻 Elissa			
Nestor			
Xanthia			
Damaris			
Alethea			
Zendo	$\triangle \bigcirc$	$\triangle \bigcirc$	$\triangle \otimes$
引 Eliza			
Kyros	0	0	0
Evangeline	0	0	0
Marilee	Δ	\triangle	Δ

 $[\]blacksquare$ Polished \Box Honed Textured R9 (A)

 $[\]triangle$ Honed Textured R10 (A+B)

O Honed R9

[●] Matt R10 (A+B) Satin

Marbalite 1

APPEARANCE

Marble

MATERIAL

Porcelain

USAGE

Floors and Walls

SHADE VARIATION

V2 - Light V3 - Moderate SPECIAL PIECES.

For more information contact our sales team.

BATTISCOPA

90x600mm



GRADINO STEP

300x600mm



ISO 10545 RESULTS

2. DIMENSIONS AND SURFACE QUALITY

Conforms

10. MOISTURE EXPANSION

No rating

3. WATER ABSORPTION

0.1 - 0.08%

12. FROST RESISTANCE

Conforms

4. FLEXURAL STRENGTH

45-48 N/mm²

13. CHEMICAL RESISTANCE

Conforms

6. DEEP ABRASION RESISTANCE

140 mm³

14. STAIN RESISTANCE

Conforms

8. LINEAR THERMAL EXPANSION

7x10⁻⁶ °C

SLIP RESISTANCE (DIN 51130-51097)

Honed R9 Matt R10 (A+B) Honed Textured R9 (A) Honed Textured R10 (A+B)

9. THERMAL SHOCK RESISTANCE

Conforms

MANUFACTURER CERTIFICATIONS:





EPD: Available ISO 14001

For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to BS EN 16165:2021. HSE surface roughness and NCS Colour values are also available upon request. All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE.

© Solus Ceramics Limited 2024. 011.

> 40% Pre-consumer

BIRMINGHAM

Unit 1 Cole River Park Warwick Road B11 2QX

LONDON

80 Clerkenwell Road EC1M 5RJ

MANCHESTER 14 Kennedy Street M2 4BY

solusceramics.com +44 (0)121 753 0777 sales@solusceramics.com