

Marbalite

40 COLOURS | 7 FINISHES | 7 SIZES | 4 DECORS



Marbalite

Marbalite reflects the classic nature of traditional marble. Incredibly similar to quarried material, the veining and clouding of Marbalite will give any space an authentic natural ambience.

SOLUS⁺

Solus Plus ranges are responsibly sourced in line with the BES 6001 standard.

For more information, [click here](#)

SOLUS



Floor:
3MDL546
Wall:
3MDL546

Marbalite



ABOVE
Floor:
3MDL513

RIGHT
Floor:
3MDL546



ABOVE
Floor:
3MDL547
Chimney:
3MDL548
3MDL549



Moreau
3MDL522




Griegg
3MDL269



Bredon
3MDL515



Leawood
3MDL266



Valance
3MDL251



Esther
3MDL252



Equilla
3MDL250



Annmarie
3MDL531



Teagan
3MDL534



Manette
3MDL539



Vedette
3MDL540



Brooke
3MDL530



Onine
3MDL255



Estelle
3MDL547




Crink
3MDL257



Carder
3MDL552



Giannis
3MDL573



Irida
3MDL574




Aveyard
3MDL551



Ezra
3MDL550



Otilie
3MDL537




Tabbot
3MDL520



Bellamy
3MDL512



Augustin
3MDL516



Anabelle
3MDL541



Ebbrell
3MDL272



Maryam
3MDL527




Issac
3MDL546



Mercier
3MDL524




Yacano
3MDL521




Durand
3MDL525




Bessie
3MDL543




Michella
3MDL532



Dubois
3MDL526



Pernella
3MDL542



Aspasia
3MDL572



Nyra
3MDL533



Dylan
3MDL268



Adler
3MDL513




Novama
3MDL509




Wall:
3MDL544
3MDL545
Plinth:
3MDL544
3MDL545


BOOKMATCH OPTIONS



Fabarius	Wabbott
3MDL517	3MDL518
1500x3000x6mm	
Polished	



Juliean	Gelbero
3MDL535	3MDL536
1500x3000x6mm	
Polished	



Louis	Otto
3MDL544	3MDL545
1500x3000x6mm	
Polished	




Janie	Leila
3MDL548	3MDL549
1500x3000x6mm	
Natural R9 (A), Polished R9 (A)	

SIZES AND FINISHES

	 375x750 6mm	 750x750 6mm	 750x1500 6mm	 1200x1200 6mm	 1200x2700 6mm	 1500x1500 6mm	 1500x3000 6mm
 Moreau	⊙■	⊙■	⊙■			⊙■	⊙■
 Griegg	⊙■\	⊙■\	⊙■\	⊙■\	⊙■\	⊙■\	⊙■\
 Bredon	⊙■	⊙■	⊙■			⊙■	⊙■
 Leawood	■	■	■			■	■
 Valance	⊙■	⊙■	⊙■			⊙■	⊙■
 Esther	⊙■	⊙■	⊙■			⊙■	⊙■
 Equilla	⊙■	⊙■	⊙■			⊙■	⊙■
 Annmarie				■	■		
 Teagan	⊙■	⊙■	⊙■			⊙■	⊙■
 Manette	■	■	■			■	■
 Vedette	⊙■	⊙■	⊙■			⊙■	⊙■
 Brooke	■	■	■			■	■
 Onine	■	■	■			■	■
 Estelle	⊙◆	⊙◆	⊙◆			⊙◆	
 Crink	⊙■	⊙■	⊙■			⊙■	⊙■
 Carder	△	△	△			△	△
 Giannis	⊙■	⊙■	⊙■			⊙■	⊙■
 Irida	□\	\□	\□			\□	\□
 Aveyard	\	\	\			\	\
 Ezra	□	□	□			□	□
 Otilie	■	■	■			■	■

⊙ Natural R9 (A) △ Natural R10 (A+B) ■ Polished □ Polished Glint ◆ Polished R9 (A) \ Satin

SIZES AND FINISHES

							
 Tabbot							
 Bellamy	 	 	 			 	 
 Augustin							
 Anabelle							
 Ebbrell							
 Maryam							
 Issac							
 Mercier							
 Yacano							
 Durand							
 Bessie							
 Michella							
 Dubois							
 Pernella							
 Aspasia							
 Nyra	 	 	 			 	 
 Dylan	  	  	  	  	  	  	  
 Adler							
 Novama	 	 	 			 	 

 Natural R9 (A)  Natural R10 (A+B)  Natural Plus R10 (A+B)  Polished  Polished Glint  Polished R9 (A)  Satin

APPEARANCE
Marble

MATERIAL
Porcelain

USAGE
Floors and Walls


SHADE VARIATION
V3 - Moderate

SPECIAL PIECES
Available on request.
For more information contact our sales team.


COVE BASE
100x750mm
100x1000mm
100x1200mm
100x1500mm



LINEAR BEVELLED STRAIGHT EDGE STEP
1000x350x40mm
1200x350x40mm
1500x350x40mm



LINEAR STRAIGHT EDGE "L" STEP
1000x350x40mm
1200x350x40mm
1500x350x40mm




LINEAR BEVELLED STRAIGHT EDGE
STEP WITH GROOVES
1000x350x40mm
1200x350x40mm
1500x350x40mm



LINEAR STRAIGHT EDGE "L" STEP
WITH GROOVES
1000x350x40mm
1200x350x40mm
1500x350x40mm



LEFT OUTCORNER BEVELLED
STRAIGHT EDGE STEP
LEFT / RIGHT OUTCORNER STRAIGHT
EDGE "L" STEP
1000x350x40mm
1200x350x40mm
1500x350x40mm



ISO 10545 RESULTS

2. DIMENSIONS AND SURFACE QUALITY
Conforms

3. WATER ABSORPTION
<0.1 - 0.08%

4. FLEXURAL STRENGTH
47-50 N/mm²

6. DEEP ABRASION RESISTANCE
140 mm³

8. LINEAR THERMAL EXPANSION
6 MK⁻¹

9. THERMAL SHOCK RESISTANCE
Conforms

10. MOISTURE EXPANSION
No rating

12. FROST RESISTANCE
Conforms

13. CHEMICAL RESISTANCE
Conforms

14. STAIN RESISTANCE
Conforms


SLIP RESISTANCE
(DIN 51130-51097)
Natural R9 (A)
Natural R10 (A+B)
Polished R9 (A)

CERTIFICATIONS:



EPD: Available
ISO 14001
SASO-Approved

For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to BS EN 16165:2021. HSE surface roughness and NCS Colour values are also available upon request. All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2026. 024a.



The logo consists of the word "SOLUS" in a large, white, sans-serif font, stacked vertically. To the right of the letter "O" is a green circular icon containing a white plus sign (+). The background of the entire page is a photograph of large mounds of brown soil or sand, with a vertical wooden plank standing in the center.

SOLUS

About Solus Plus

Solus Plus is our new mark of assurance for responsibly sourced products. Built on the rigorous standards of BES 6001, it highlights collections produced by factories that demonstrate industry-leading sustainability across their entire supply chain, from raw material extraction to final delivery.

When specified through Solus, these products can contribute valuable credits toward BREEAM, LEED and WELL certification, helping you meet your environmental targets without compromising on quality or design. Look for the Solus Plus symbol to specify with confidence.

[Visit our website to learn more.](#)

[Back to top](#)