

Monolith

6 COLOURS | 3 FINISHES | 4 SIZES | 2 MOSAICS



S
O
LUS

Floor:
2APX512

Monolith

Monolith is a stunning range of tiles inspired by the textures and versatile quality of concrete. Featuring six colours from rich cream to deep black.



Floor:
2APX512





Hartzell
2APX512



Banque
2APX505




Divination
2APX510



Morecheba
2APX508



Rolley
2APX511







Moffat
2APX506



Floor:
2APX512

SIZES AND FINISHES

				
	300x600 10.5mm	600x600 10.5mm	600x1200 10.5mm	1200x1200 10.5mm
All colours	▲♥	▲♥⊘	♥⊘	♥⊘
	▲ Anti Slip R11 (A+B)		♥ Natural R10	⊘ Satin

MOSAICS



Mosaic A

Available in all colours

300x600x15mm

Natural R10



Mosaic B

Available in all colours

300x300x10.5mm

Natural R10

APPEARANCE
Concrete


MATERIAL
Porcelain

USAGE
Floors and Walls


SHADE VARIATION
V2 - Light

SPECIAL PIECES
Available in all colours.
For more information contact our sales team.

BATTISCOPIA
95x600mm



GRADONE STEP
325x1200mm



ISO 10545 RESULTS

2. DIMENSIONS AND SURFACE QUALITY
Conforms

3. WATER ABSORPTION
0.05%

4. FLEXURAL STRENGTH
50 N/mm²

6. DEEP ABRASION RESISTANCE
140 mm³

8. LINEAR THERMAL EXPANSION
< 7.0 x10⁻⁶ °C⁻¹

9. THERMAL SHOCK RESISTANCE
Conforms

10. MOISTURE EXPANSION
No rating

12. FROST RESISTANCE
Conforms

13. CHEMICAL RESISTANCE
Conforms

14. STAIN RESISTANCE
Conforms


**SLIP RESISTANCE
(DIN 51130-51097)**
Anti Slip R11 (A+B)
Natural R10
Satin

MANUFACTURER CERTIFICATIONS:



EPD: Available
ISO 14001

For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to BS EN 16165:2021. HSE surface roughness and NCS Colour values are also available upon request. All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2024. 008.

 up to 26.5%
Pre-consumer