


6 COLOURS | 2 FINISHES | 3 SIZES

# Naples

S  
O  
S  
L  
U  
S



Floor:  
3NAP548  
3NAP543

Wall:  
3NAP548  
3NAP543

Desk:  
3NAP543



# Naples

Featuring a full-bodied terrazzo-style composition and offered in six shades, Naples has been crafted using traditional techniques, combined with state-of-the-art manufacturing methods.



Floor:  
3NAP544  
3NAP545



# Naples



Floor:  
3NAP543  
3NAP545







Tiles Shown:  
3NAP545  
3NAP546



NAP-Pearl  
3NAP547



NAP-Beige  
3NAP545



NAP-Ivory  
3NAP544



NAP-Sand  
3NAP543



NAP-Grey  
3NAP548














NAP-Umber  
3NAP546





Wall:  
3NAP548

## SIZES AND FINISHES

			
	600x600 10mm	600x1200 10mm	1200x1200 10mm
All colours	 	 	 
			 Natural R10 (A+B)  Polished

## NOTES

Bespoke cut-to-shape formatting is available, please ask for details.

# Naples

## APPEARANCE

Terrazzo

## MATERIAL

Porcelain - Full body

## USAGE

Floors and Walls

## SHADE VARIATION

V3 - Moderate


## SPECIAL PIECES

Available in all colours.

For more information contact our sales team.


## BULLNOSE PLINTH

65x600x10mm



## GRADINO

300x600x10mm



## ISO 10545 RESULTS

### 2. DIMENSIONS AND SURFACE QUALITY

Conforms

### 3. WATER ABSORPTION

$\leq 0.1\% - 0.08\%$

### 4. FLEXURAL STRENGTH

49 N/mm<sup>2</sup>

### 6. DEEP ABRASION RESISTANCE

140 mm<sup>3</sup>

### 8. LINEAR THERMAL EXPANSION

6.5x10<sup>-6</sup> °C

### 9. THERMAL SHOCK RESISTANCE

Conforms

### 10. MOISTURE EXPANSION

No rating

### 12. FROST RESISTANCE

Conforms

### 13. CHEMICAL RESISTANCE

Conforms

### 14. STAIN RESISTANCE

Class 5

### SLIP RESISTANCE (DIN 51130-51097)

Natural R10 (A+B)

## MANUFACTURER CERTIFICATIONS:



EPD: Available

ISO 14001

For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to BS EN 16165:2021. HSE surface roughness and NCS Colour values are also available upon request. All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2024. 004.



40%  
Pre-consumer