


6 COLOURS | 2 FINISHES | 3 SIZES

Naples

SOS
LUS



Floor:
3NAP548
3NAP543

Wall:
3NAP548
3NAP543

Desk:
3NAP543

Naples

Featuring a full-bodied terrazzo-style composition and offered in six shades, Naples has been crafted using traditional techniques, combined with state-of-the-art manufacturing methods.

S
O
LUS 

Solus Plus ranges are responsibly sourced in line with the BES 6001 standard.

For more information, [click here](#)



Floor:
3NAP544
3NAP545

Naples



Floor:
3NAP543
3NAP545





Tiles Shown:
3NAP545
3NAP546



NAP-Pearl
3NAP547



NAP-Beige
3NAP545



NAP-Ivory
3NAP544



NAP-Sand
3NAP543



NAP-Grey
3NAP548














NAP-Umber
3NAP546



Wall:
3NAP548

SIZES AND FINISHES

			
	600x600 10mm	600x1200 10mm	1200x1200 10mm
All colours	 	 	 
			 Natural R10 (A+B)  Polished

NOTES

Bespoke cut-to-shape formatting is available, please ask for details.

Naples

APPEARANCE

Terrazzo

MATERIAL

Porcelain - Full body

USAGE

Floors and Walls

SHADE VARIATION

V3 - Moderate

SPECIAL PIECES

Available in all colours.

For more information contact our sales team.


BULLNOSE PLINTH

65x600x10mm



GRADINO

300x600x10mm



ISO 10545 RESULTS

2. DIMENSIONS AND SURFACE QUALITY

Conforms

3. WATER ABSORPTION

$\leq 0.1\% - 0.08\%$

4. FLEXURAL STRENGTH

49 N/mm²

6. DEEP ABRASION RESISTANCE

140 mm³

8. LINEAR THERMAL EXPANSION

6.5x10⁻⁶ °C

9. THERMAL SHOCK RESISTANCE

Conforms

10. MOISTURE EXPANSION

No rating

12. FROST RESISTANCE

Conforms

13. CHEMICAL RESISTANCE

Conforms

14. STAIN RESISTANCE

Class 5

SLIP RESISTANCE (DIN 51130-51097)

Natural R10 (A+B)


CERTIFICATIONS:



BES 819709

EPD: Available
ISO 14001
SAS0-Approved

For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to BS EN 16165:2021. HSE surface roughness and NCS Colour values are also available upon request. All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2025. 004.



Solus Plus ranges are responsibly sourced in line with the BES 6001 standard for the responsible sourcing of construction products.

BIRMINGHAM
Unit 1 Cole River Park
Warwick Road B11 2QX

LONDON
80 Clerkenwell Road
EC1M 5RJ

MANCHESTER
14 Kennedy Street
M2 4BY

solusceramics.com
+44 (0)121 753 0777
sales@solusceramics.com

The logo consists of the word "SOLUS" in a large, white, sans-serif font, stacked vertically. To the right of the middle letter "O" is a green circular icon containing a white plus sign (+). The background of the entire page is a photograph of large piles of sand and gravel in an industrial setting, with a vertical metal beam in the center.

S
O
L
U
S

About Solus Plus

Solus Plus is our new mark of assurance for responsibly sourced products. Built on the rigorous standards of BES 6001, it highlights collections produced by factories that demonstrate industry-leading sustainability across their entire supply chain, from raw material extraction to final delivery.

When specified through Solus, these products can contribute valuable credits toward BREEAM, LEED and WELL certification, helping you meet your environmental targets without compromising on quality or design. Look for the Solus Plus symbol to specify with confidence.

[Visit our website to learn more.](#)

[Back to top](#)