

3 COLOURS | 2 FINISHES | 4 SIZES | 2 MOSAICS

# Nebulous

S  
O  
S  
L  
U  
S



Floor:  
3MTN103

# Nebulous

A creatively composed tile range, Nebulous is the interpretation of a dynamic rocky stone. The tiles in this range are liberally populated with interesting flecks of colour, light and dark speckles and beautiful, organic cloudy swirls.



Floor:  
3MTN103

# Nebulous



ABOVE  
Floor:  
3MTN102

RIGHT  
Floor:  
3MTN101



ABOVE  
Floor:  
3MTN103



Himalaya  
3MTN101



Bernia  
3MTN102




























Pennine  
3MTN103




Floor:  
3MTN102

## SIZES AND FINISHES

				
	300x600 9.5mm	600x600 9.5mm	600x1200 9.5mm	900x900 9.5mm
 Himalaya	 	 	 	 
 Bernia	 	 		
 Pennine	 	 		

 Natural R10 (A+B)     Honed Polished

## MOSAICS



Himalaya Mosaic A  
3MTN101M201  
300x300x9.5mm  
Honed Polished



Bernia Mosaic A  
3MTN101M201  
300x300x9.5mm  
Honed Polished



Pennine Mosaic A  
3MTN101M201  
300x300x9.5mm  
Honed Polished



Himalaya Mosaic B  
3MTN101M301  
300x600x9.5mm  
Honed Polished



Bernia Mosaic B  
3MTN102M302  
300x600x9.5mm  
Honed Polished



Pennine Mosaic B  
3MTN103M303  
300x600x9.5mm  
Honed Polished

# Nebulous

**APPEARANCE**  
Limestone

**MATERIAL**  
Porcelain

**USAGE**  
Floors and Walls


**SHADE VARIATION**  
V2 - Light

**SPECIAL PIECES**  
Available in all colours.


**BATTISCOPIA**  
100x600mm



**GRADINO PLUS**  
350x1200mm



**ANGOLO GRADINO PLUS DX/SX**  
350x1200mm



## ISO 10545 RESULTS

**2. DIMENSIONS AND SURFACE QUALITY**  
Conforms

**3. WATER ABSORPTION**  
< 0.4%

**4. FLEXURAL STRENGTH**  
50 N/mm<sup>2</sup>

**6. DEEP ABRASION RESISTANCE**  
145 mm<sup>3</sup>

**8. LINEAR THERMAL EXPANSION**  
 $7 \times 10^{-6} \text{ } ^\circ\text{C}$

**9. THERMAL SHOCK RESISTANCE**  
Conforms

**10. MOISTURE EXPANSION**  
No rating

**12. FROST RESISTANCE**  
Conforms

**13. CHEMICAL RESISTANCE**  
Conforms

**14. STAIN RESISTANCE**  
Conforms


**SLIP RESISTANCE**  
(DIN 51130-51097)  
Natural R10 (A+B)

## MANUFACTURER CERTIFICATIONS:



EPD: Available  
ISO 14001  
ISO 17889-1

For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to PTV BS7976-2. HSE surface roughness and NCS Colour values are also available upon request.  
All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE.  
© Solus Ceramics Limited 2024. 014.

 > 40%  
Pre-consumer