

Nordica

5 COLOURS | 2 FINISHES | 6 SIZES



S
O
L
U
S

Floor:
3HRH509

Nordica

Bringing all of the beauty of wood into a space with all of the qualities of strong and durable porcelain stoneware, Nordica is the perfect substitute for real wood. The range is available in five distinct tones.



Floor:
3HRH510

Nordica



ABOVE
Floor:
3HRH508

RIGHT
Floor:
3HRH509





Queens
3HRH507



Brooklyn
3HRH508



Saltlake
3HRH509



Houston
3HRH510



Roanoak
3HRH506



Wall:
3HRH510

SIZES AND FINISHES

	135x800 8.5mm	200x800 8.5mm	200x800 8.5mm Chevron	200x1200 8.5mm	300x1200 20mm	200x1700 8.5mm
Queens	♥	♥ △		♥		♥
Brooklyn	♥	♥ △		♥	△	♥
Saltlake	♥	♥		♥		
Houston	♥	♥ △	♥	♥	△	♥
Roanoak	♥	♥ △	♥	♥		♥

♥ Natural R9 △ Anti Slip R11 (A+B+C)

NOTES

To avoid lippage we recommend the use of self-levelling spacers

APPEARANCE

Wood

MATERIAL

Porcelain

USAGE

Floors and Walls

SHADE VARIATION

V3 - Moderate

SPECIAL PIECES

Available in all colours.

For more information contact our sales team.


BATTISCOPIA

65x800mm




ANGOLARE SX/DX

320x1200x450x20mm




GRADONE L GRIP

200x400x40mm



GRADONE TOP

320x1200x450x20mm



ISO 10545 RESULTS

2. DIMENSIONS AND SURFACE QUALITY

Conforms

3. WATER ABSORPTION

< 0.3%

4. FLEXURAL STRENGTH

≥ 45 N/mm²

6. DEEP ABRASION RESISTANCE

No rating

8. LINEAR THERMAL EXPANSION

No rating

9. THERMAL SHOCK RESISTANCE

Conforms

10. MOISTURE EXPANSION

No rating

12. FROST RESISTANCE

Conforms

13. CHEMICAL RESISTANCE

Conforms

14. STAIN RESISTANCE

Conforms

SLIP RESISTANCE (DIN 51130-51097)

Natural R9

Anti Slip R11 (A+B+C)

MANUFACTURER CERTIFICATIONS:

EPD: Available

For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to BS EN 16165:2021. HSE surface roughness and NCS Colour values are also available upon request. All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2024. 009.

