

# Paletta

15 COLOURS | 1 FINISH | 2 SIZES | 3 DECORS



LOS  
LUS

Wall:  
2PLL114

# Paletta

This designer-created range is an attempt to capture the authentic colours of the heart of Italy. An exquisite sensory experience defined by soft saturation and a refined, powdery surface quality, Paletta celebrates the beauty of nature.



Wall:  
2PLL114

# Paletta



ABOVE  
Wall:  
2PLL108

RIGHT  
Wall:  
2PLL113  
2PLL113D001  
2PLL113D002






PLL-White  
2PLL101



PLL-Grey  
2PLL102



PLL-Latte  
2PLL103



PLL-Cream  
2PLL104



PLL-Pink  
2PLL105



PLL-Rouge  
2PLL106



PLL-Mustard  
2PLL107



PLL-Caramel  
2PLL108



PLL-Maroon  
2PLL109



PLL-Olive  
2PLL110



PLL-Fern  
2PLL111



PLL-Green  
2PLL112



PLL-Marine  
2PLL113





PLL-Lagoon  
2PLL114



PLL-Blue  
2PLL115

## DECORS



Decor A

57x232x8.5mm

Polished

Available in all colours

Decor B

57x232x8.5mm

Polished

Available in all colours

Decor C

57x232x8.5

Polished

Available in all colours

## SIZES AND FINISHES

	57x232 8.5mm	116x116 8.5mm
All colours	◆	◆
		◆ Polished

## NOTES

To avoid lippage we recommend the use of self-levelling spacers.  
For use on floors, please ask for more information.

# Paletta

---

## APPEARANCE

Mono Colour

## MATERIAL

Porcelain

## USAGE

Floors and Walls

## SHADE VARIATION

V3 - Moderate

## ISO 10545 RESULTS

---

### 2. DIMENSIONS AND SURFACE QUALITY

Conforms

---

### 3. WATER ABSORPTION

$\leq 0.5\%$

---

### 4. FLEXURAL STRENGTH

$> 35 \text{ N/mm}^2$

---

### 6. DEEP ABRASION RESISTANCE

No rating

---

### 8. LINEAR THERMAL EXPANSION

No rating

---

### 9. THERMAL SHOCK RESISTANCE

Conforms

---

### 10. MOISTURE EXPANSION

No rating

---

### 12. FROST RESISTANCE

Conforms

---

### 13. CHEMICAL RESISTANCE

Conforms

---

### 14. STAIN RESISTANCE

Class 5

---

### SLIP RESISTANCE (DIN 51130-51097)

Ask for details

---

## CERTIFICATIONS:



EPD: Available  
ISO 14001  
ISO 17889-1  
SASO-Approved

For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to BS EN 16165:2021. HSE surface roughness and NCS Colour values are also available upon request. All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2026. 001c.