

12 COLOURS | 2 FINISHES | 5 SIZES | 2 MOSAICS | 3 DECORS

Palladiana

S
O
L
U
S



Floor:
3PLD103
Wall:
3PLD109

Palladiana

Palladiana is a concrete-effect porcelain whose surface carries the marks of weathering and time. Neutral tones of sand, pearl and grey shift from pale to considered depth, lending a grounded, unhurried presence to both interior and exterior schemes.



Palladiana



ABOVE
Floor:
3PLD108

RIGHT
Floor:
3PLD106



ABOVE
Wall:
3PLD101D001





PLD-Light
3PLD101



PLD-Sand
3PLD102



PLD-Pearl
3PLD103



PLD-Grey
3PLD104



PLD-Bone
3PLD105



PLD-Dune
3PLD106



PLD-Cloud
3PLD107



PLD-Ash
3PLD108



PLD-Hailstorm
3PLD109



PLD-Sandstorm
3PLD110



PLD-Raincloud
3PLD111



PLD-Riverbed
3PLD112



Floor:
3PLD107

SIZES AND FINISHES

					
	600x600 9mm	600x1200 9mm	900x900 9mm	900x900 20mm	1200x1200 9mm
 PLD-Light	♥	♥	♥		♥
 PLD-Sand	♥	♥	♥ △	△	♥
 PLD-Pearl	♥	♥	♥		♥
 PLD-Grey	♥	♥	♥ △	△	♥
 PLD-Bone	♥	♥	♥ △	△	♥
 PLD-Dune	♥	♥	♥ △	△	♥
 PLD-Cloud	♥	♥	♥ △	△	♥
 PLD-Ash	♥	♥	♥ △	△	♥
 PLD-Hailstorm	♥	♥	♥ △	△	♥
 PLD-Sandstorm	♥	♥	♥ △	△	♥
 PLD-Raincloud	♥	♥	♥ △	△	♥
 PLD-Riverbed	♥	♥	♥ △	△	♥

♥ Natural R10 (A+B) △ Anti Slip R11 (A+B+C)

NOTES

To avoid lippage we recommend the use of self-levelling spacers



SIZES AND FINISHES




Mosaic A

Available in colours:
PLD-Light
PLD-Sand
PLD-Pearl
PLD-Grey

50x50mm chips
(300x300x9 sheet)

Natural R10 (A+B)



Mosaic B

Available in colours:
PLD-Hailstorm
PLD-Sandstorm
PLD-Raincloud
PLD-Riverbed

9.73mm hexagon chips
(300x345x9 sheet)

Natural R10 (A+B)



Decor A

Available in colours:
PLD-Light
PLD-Sand
PLD-Pearl
PLD-Grey

600x1200x9mm

Textured



PLD-Warm Decor B

3PLD113D001

600x1200x9mm
1200x1200x9mm

Natural R10 (A+B)



PLD-Cool Decor C

3PLD114D001

600x1200x9mm
1200x1200x9mm

Natural R10 (A+B)

APPEARANCE
Concrete


MATERIAL
Porcelain

USAGE
Floors and Walls

SHADE VARIATION
V2 - Light

SPECIAL PIECES
More special pieces are available.
For more information contact our sales team.

BATTISCOPA
73x600mm
73x900mm



ISO 10545 RESULTS

2. DIMENSIONS AND SURFACE QUALITY
Conforms

3. WATER ABSORPTION
< 0.1%

4. FLEXURAL STRENGTH
Conforms

6. DEEP ABRASION RESISTANCE
No rating

8. LINEAR THERMAL EXPANSION
No rating

9. THERMAL SHOCK RESISTANCE
No rating

10. MOISTURE EXPANSION
No rating

12. FROST RESISTANCE
Conforms

13. CHEMICAL RESISTANCE
Conforms

14. STAIN RESISTANCE
Conforms

**SLIP RESISTANCE
(DIN 51130-51097)**
Natural R10 (A+B)
Anti Slip R11 (A+B+C)

MANUFACTURER CERTIFICATIONS:

EPD: Available
ISO 14001

For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to BS EN 16165:2021. HSE surface roughness and NCS Colour values are also available upon request. All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2026. 001.