


# Pastels

8 COLOURS | 1 FINISH | 3 SIZES



S  
LUS

# Pastels

A fantastically versatile, customisable full-body porcelain mosaic range suitable for wet areas and elsewhere.




Wall:  
6PAS105

# Pastels




ABOVE  
Wall:  
6PAS107

RIGHT  
Wall:  
6PAS103  
6PAS101



ABOVE  
Floor:  
6PAS103  
Wall:  
6PAS103  
6PAS101

12.5x37.5x7.2mm



PAS-Ivory  
6PAS101


12.5x12.5x7.2mm



25x25x7.2mm




12.5x37.5x7.2mm




PAS-Ash  
6PAS102


12.5x12.5x7.2mm





25x25x7.2mm





PAS-Grey  
6PAS103




PAS-Ocean  
6PAS104





PAS-Peach  
6PAS105



PAS-Hazelnut  
6PAS106



PAS-Aqua  
6PAS107




PAS-Black  
6PAS108







## CUSTOM DESIGNS




PAS-Design A  
6PAS109




PAS-Design B  
6PAS110




PAS-Design C  
6PAS111




PAS-Design D  
6PAS112




PAS-Design E  
6PAS113



PAS-Design F  
6PAS114



PAS-Design G  
6PAS115



PAS-Design H  
6PAS116

## NOTES

All colours are available in Matt R10 (A+B).

Bespoke colour combinations are available for the custom designs.

Custom designs are produced on request.

# Pastels

---

## APPEARANCE

Mosaic

## MATERIAL

Porcelain - Full Body

## USAGE

Floors and Walls

## ISO 10545 RESULTS

---

### 2. DIMENSIONS AND SURFACE QUALITY

Conforms

---

### 3. WATER ABSORPTION

≤ 0.5%

---

### 4. FLEXURAL STRENGTH

> 50 N/mm<sup>2</sup>

---

### 6. DEEP ABRASION RESISTANCE

No rating

---

### 8. LINEAR THERMAL EXPANSION

< 7×10<sup>-6</sup> °C

---

### 9. THERMAL SHOCK RESISTANCE

Conforms

---

### 10. MOISTURE EXPANSION

≤ 0.04%

---

### 12. FROST RESISTANCE

Conforms

---

### 13. CHEMICAL RESISTANCE

Conforms

---

### 14. STAIN RESISTANCE

Conforms

---

### SLIP RESISTANCE (DIN 51130-51097)

Matt R10 (A+B)

---

## MANUFACTURER CERTIFICATIONS:

EPD: Available

For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to BS EN 16165:2021. HSE surface roughness and NCS Colour values are also available upon request. All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2023. 002a.