


Peppermint

6 COLOURS | 1 FINISH | 31 SIZES




S
L
U
S

Floor:
7DHV101




Durden
7DHV106




Rockella
7DHV101




Drenon
7DHV105



Rubble
7DHV103













Branded
7DHV104



Nighting
7DHV102

SIZES AND FINISHES

										
	300x300 20/30/40mm	300x600 20/30/40mm	400x400 20/30/40mm	400x600 20/30/40mm	400x800 30/40mm	600x600 20/30/40mm	600x1200 30/40mm	1200x1200 30/40mm	1250x3050 20/30/40/50/60mm*	1400x3050 20/30/40/50/60mm*
All colours	⊗	⊗	⊗	⊗	⊗	⊗	⊗	⊗	⊗	⊗

⊗ Honed R9

NOTES

The following finishes are available on request:

Honed R10,
Honed 80,
Polished,
Sandblasted,
Row,
Brushed R9.

* These terrazzo slabs are supplied unfinished and must be fabricated to provide a clean edge.

Other sizes are available, please ask for details.

Peppermint

APPEARANCE

Terrazzo

MATERIAL

Terrazzo

USAGE

Floors and Walls

TECHNICAL SPECIFICATIONS (EN 13748-1)

Bending Resistance	7,9 - 12,1 MPa
--------------------	----------------

Fire Resistance	A1 _{fl}
-----------------	------------------


Water Absorption	4,2 - 5,2%
------------------	------------

For more technical information, please ask for details.

MANUFACTURER CERTIFICATIONS:

EPD: Available

For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to BS EN 16165:2021. HSE surface roughness and NCS Colour values are also available upon request. All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2023. 004a.

 67%
Pre-consumer