2 COLOURS | 1 FINISH | 1 SIZE



An eye-catching duo of encaustic-style porcelain tiles, Persian's 2cm thickness makes it the ideal partner for outdoor spaces. The range is offered in one size and a robust finish of Anti Slip.






ABOVE Floor: 2KZT102

RIGHT Floor: 2KZT101






Andorran 2KZT101



Babylon 2KZT102

SIZES AND FINISHES



 \triangle Anti Slip R11 (A+B+C)

APPEARANCE Patterned

MATERIAL Porcelain

USAGE Floors and Walls

SHADE VARIATION V3 - Moderate

ISO 10545 RESULTS

2. DIMENSIONS AND SURFACE QUALITY Conforms 10. MOISTURE EXPANSION No rating

3. WATER ABSORPTION 0.1% 12. FROST RESISTANCE Conforms

4. FLEXURAL STRENGTH 50 N/mm²

14. STAIN RESISTANCE

Conforms

Class 5

13. CHEMICAL RESISTANCE

8. LINEAR THERMAL EXPANSION No rating

6. DEEP ABRASION RESISTANCE

SLIP RESISTANCE (DIN 51130-51097) Anti Slip R11 (A+B+C)

9. THERMAL SHOCK RESISTANCE

Conforms

No rating

For LEED, BREEAM and WELL information, please ask for details. On request tiles can be tested to BS EN 16165:2021. HSE surface roughness and NCS Colour values are also available upon request. All sizes shown are nominal. Due to the printing process and differing screen values actual tile colours may vary. E&OE. © Solus Ceramics Limited 2024. 004.

S O LUS

BIRMINGHAM Unit 1 Cole River Park Warwick Road B11 2QX LONDON 80 Clerkenwell Road EC1M 5RJ

MANCHESTER 14 Kennedy Street M2 4BY

solusceramics.com +44 (0)121 753 0777 sales@solusceramics.com